

156-0-5

[Handwritten signature]

EXTRACT
ORIGINAL ON
75-168 HXD.

MAR 15 1938

AGENT'S REPORT ON SKEENA RIVER AGENCY FOR FEB. 1938.
X X X

During the trip south we called at Alert Bay. Here I visited St Michael's Indian Residential School. Principal F.E. Anfield kindly showed us over the building, including classrooms, Manual Training shop, Domestic Science class and the other Departments of school work. I was also present at fire drill which was well and smartly carried out. This residential school is obviously conducted in an excellent manner. The children appeared bright and healthy and the different departments spotlessly clean. I also had an opportunity of speaking to children from my agency in the different classrooms.

X X X
W.E. Collison.
Indian Agent.

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES ARCHIVES PUBLIQUES
CANADA

POOR-COPY

156-0-5

Ottawa,
February 1, 1938.

EX'D.


Dear Sir:

I am in receipt of your letter of the 26th ultimo with reference to the request of the Principal of the Alert Bay Residential School for a grant of \$500 toward the cost of a truck purchased for the school.

I regret that as our funds for the current fiscal year are completely assigned it is not possible to make the grant requested by the Principal.

You might point out to the Principal that new purchasing regulations are now in effect and consequently any article for which the Department is expected to pay, or toward the cost of which the Department is expected to contribute, must not be purchased without first forwarding full particulars to us and obtaining our authority.

Yours truly,



R. A. Hoey,
Supt. of Welfare & Training.



Major D. M. MacKay,
Indian Commissioner,
P.O. Box 8,
Vancouver, B. C.

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

SILENT GLOW OIL BURNERS LTD.

Alert Bay

11 March 1938

Mr F.E.Anfield.
St. Micheal's Res.School.
Alert Bay.

Dear Mr Anfield;-

I am pleased to enclose cuts of the new SUPERFEX Oil Burning Heaters suitable for your heating requirements.

I strongly recommend the Model #1035. This is one size larger than the #1109 that you inspected in the Nimpkish Hotel and is of the Heat Director Type. This gives better control of the heat - a decided advantage in your particular case considering the rather difficult location in the Hall that the Heater must necessarily occupy.

It is a handsome piece of equipment heavily built and well finished and will last for many years without trouble or extra cost for maintenance.

The special Summer prices quoted me by the Factory to encourage Summer sales I pass along to you as shown. The discount of 5% for cash on Kleen-Kook Ranges also applies to these SUPERFEX HEATERS. Prices include all freight and installation charges etc.

#1035 Superfex Heat Director	\$129.50	now	<u>\$115.50</u>
#1119 Superfex	\$99.50	"	\$88.50
#1031 Superfex Heat Director	\$99.50.		
#1109 Superfex	\$65.00 .		

Note. #'s 1035-1119 have the same heating capacity and #'s 1031 and 1109 are the same.

I am sure that not only the comfort and economy of one of these units but also its very smart appearance in the centre of your home will appeal to you , and I will certainly appreciate your order.

With kindest regards.

Yours very truly.

Neil Lifford

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

Missionary Society of the Church of England in Canada

INDIAN RESIDENTIAL SCHOOL COMMISSION



Mr. F. EARL ANFIELD
Principal

ST. MICHAEL'S SCHOOL
Alert Bay, B. C.

March 21st, 1938.

The Indian Agent,
Alert Bay, B. C.

Dear Mr. Todd,

I have to notify you officially of my intended marriage this coming summer, and to request the earnest consideration of the Department towards putting the Principal's residence at this school into better condition than it is now.

As you are aware, the residence has by its position on the south-east corner of the building, received the brunt of the severe leakage which has taken place on the whole weather face of the building, as a result of which the residence walls and ceilings are in such condition that the house will need a complete renovation from top to bottom.

A prima facie condition of any such renovation must be the waterproofing of the outside walls and I understand it is the Department's intention to carry this work through to a satisfactory conclusion as soon as the weather is suitable.

When the School was built, the Department furnished one room in the residence and supplied a cook range for the kitchen. The balance of the furniture required was supplied by the Indian Residential School Commission or by myself. For some years I lived in the residence, my meals and wants supplied by a housekeeper, but the place was so cold and damp that eventually I gave up the place and moved into the main building. Within the past two years, an increased staff made it necessary to move four workers back into the residence for sleeping purposes only, and though it has been far from comfortable for them, the first waterproofing job helped a little and we have been able, by pushing the heat in the evening and shutting off all the downstairs radiators, to get the upstairs rooms fairly warm for sleeping purposes. However, if the house is to be used as a home for permanent use, something must be done to augment the present heating supply. The kitchen stove which was supplied by the Department has been used for years for the teaching of small domestic science units, and later was

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

The Indian Agent,
Alert Bay, B. C.

Moved for use in our isolation building. It will not stand further moving, and is not in fit condition for re-installation in the residence.

It is, therefore, necessary to ask the consideration of the Department towards the following suggested needs:

1. The renovation of the house, walls and ceilings with a new washable Kalsomine product named "Vello", and the sanding and re-varnishing of the floors; also the supply and installation of French doors for living and dining room, to prevent the draughts which come in under the front door:

Cost:

(a)	6636 sq.ft. walls and ceilings, 2 coats "Vello", requires 50 lbs. "Vello" at 10¢ lb, plus 55¢ freight	\$5.80
(b)	1908 sq.ft. floors, 2 coats varnish, requires 2 gals. Valspar at \$4.25 gallon	8.50
(c)	Two French doors for living and dining room, material only, (see attached bids)	30.55
(d)	Labour on above, including 3 days fixing throats of fireplaces, both of which have smoked since installation: 10 days painting, 6 days on floors, 1 day on French doors, 3 days on fireplaces - 20 days at \$5.00	<u>100.00</u>
		\$144.85

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-CO

The Indian Agent,
Alert Bay.

Carried forward	\$144.85
2. <u>"Kleen-Kook" Range, with Silent Glow Oil burner, installed, (see bid attached)</u>	153.50
30 gallon hot water tank, with stand and piping, \$25.11 plus \$2.50 freight	27.61
Other bids are attached for consideration and comparison.	
3. <u>Auxiliary heater</u>	
#1035 Superfex Heat Director, installed (see bid attached)	115.50
Other bids are attached hereto for the consideration of the Department, but I really consider that the Heater mentioned herein will, with the kitchen range, keep the house warm and comfortable to live in.	
4. <u>Installation of power plugs from city power lines for use of electric appliances, according to the Canada wiring code specifications, bid submitted and attached,</u>	50.00
	\$491.46

These items total \$491.46, which may seem a lot of money to spend on this house, but it should be remembered that nothing whatever has been done on it since it was built. For years the water ran down the sitting room and upstairs bedroom walls, and I think you are in a position to verify this and also the need of proper heating.

For your information, the extra heat and French doors were found necessary at Lytton where a replica of this school is situated. Generally speaking there is need of heat here for longer than at Lytton.

?

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES ARCHIVES PUBLIQUES
CANADA

POOR-COPY

The Indian Agent,
Alert Bay, B.C.

May I be permitted to say in closing that this is the first time I have asked the Department for consideration for anything personal, and I hope that the requests made herewith will receive favourable support.

Yours very truly,

H. H. H. H. H.

FEA/L.

Principal.

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

DEPARTMENTS
 AUTO ACCESSORIES
 AUTO TIRES & TUBES
 BUILDERS HARDWARE
 BUILDING SUPPLIES
 CUTLERY WATCHES & CLOCKS
 ELECTRICAL SUPPLIES
 HEAVY HARDWARE
 HOUSE FURNISHINGS
 MILL LOGGING & AGRICULTURAL
 CROCKERY & GLASSWARE
 ASSAYERS SUPPLIES



G. P. McLAUCHLIN,
 VICE PRES. AND
 MANAGING DIRECTOR

MARSHALL-WELLS B. C. LIMITED

WHOLESALE MANUFACTURERS IMPORTERS EXPORTERS



DEPARTMENTS
 MINING & RAILWAY
 OILS & GREASES
 PAINT & GLASS
 RADIO
 SPORTING GOODS
 STOVES & RANGES
 TOOLS
 WIRE ROPE
 SHIP CHANDLERY
 REFRIGERATION
 DOMESTIC &
 COMMERCIAL

CABLE ADDRESS
 "MARSWELLS"

QUOTATION Vancouver, B.C.

WHEN ORDERING FROM THIS QUOTATION OR WHEN WRITING REGARDING IT PLEASE MENTION DATE OF QUOTATION. COMPLIANCE WITH THIS REQUEST WILL AVOID MISTAKES IN THE FILLING OF ORDERS AND ERRORS IN PRICE. February 4, 1938

St. Michael's School
 Alert Bay, B. C.

Dear Mr. Anfield:

We are very pleased to quote on your specification for Kitchen Range. The description of your inquiry calls for our Burbank #136, Ivory Pyralin stripped for oil and equipped with two burners fully installed which is covered in the following:

One only #136 Burbank Range, stripped for oil, One only Aetna Standard Burner, installed f.o.b. Alert Bay, \$118.87.

I note that you had not called for this Range to be equipped with hot water coils. If you are desirous of having coils add \$4.25. Trusting that this will fulfill your requirements, we are,

Yours truly

Marshall-Wells B.C. Limited

Manager, Stove Department

T. Brown: BJS

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

INDIAN COMMISSIONER
BRITISH COLUMBIA


CANADA
DEPARTMENT
OF
MINES AND RESOURCES

INDIAN AFFAIRS
BRANCH

P. O. Box 8,
Vancouver, B.C.,
21st April, 1938.

Major D. M. MacKay,
Indian Commissioner for B.C.,
P. O. Box #8,
VANCOUVER, B.C.

Dear Major MacKay:-

I have read with considerable care the file of correspondence with regard to suggested improvements in the Principal's residence at St. Michael's Indian Residential School, Alert Bay.

I use a room in the residence when carrying out inspections around Alert Bay and have been there from 7 to 10 days yearly. This has given me an opportunity of seeing just what repairs and additions are urgently required.

In general, I am in agreement with the views put forward by Mr. F. E. Anfield and the recommendations of Mr. Indian Agent Todd, though I do not know where a sum of almost \$500.00 is to be found to carry out the requested work.

I could not possibly recommend the installation of a hot-air furnace, and I regret that I am unable to even recommend that an oil burner be installed for heating purposes in the Principal's residence at a cost of \$115.50. There is no reason, as far as I can see, why the heating of the Principal's residence should prove any more difficult than the School in general. I have found that when the engineer attends to his work the heating of the School and residence is quite satisfactory. It is quite possible that some attention should be paid to the regulation of the radiators through the School to ensure that when the residence is properly heated other parts of the School are at about the same temperature and not overheated as at present. It is true that when the main part of the School is only heated to a moderate degree, the Principal's residence, being furthest from the boilers, does not receive sufficient heat.

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY


The French doors suggested for the dining room and the living room are in my opinion necessary; such doors have been provided in the Principal's residence at St. George's School, Lytton. The door leading from the Principal's study to the verandah does not fit properly and certainly requires weather stripping. I would, in fact, recommend that all outside windows and doors of the residence be provided with metal weather stripping. This, I think, would do more to maintain a steady temperature than the provision of a costly oil burner. When I occupy a room at this School I find that the wind blows right through closed windows and doors, and, of course, lowers the temperature of the rooms considerably.

The walls and ceilings certainly require some sort of washable kalsomine, as they are in a dreadful state owing to the penetration of rain from south-easterly gales. I am further in agreement with Mr. Anfield when he states that the waterproofing of the outside walls should be attended to before any kalsomining is carried out inside the building, but I understand that it is the Department's intention to carry out this waterproofing as soon as the weather is suitable.

The kitchen range originally supplied for use in the Principal's residence has been made use of in the domestic science class, and is now completely worn out. The installation of power plugs for use of electric appliances in connection with the recently installed Alert Bay mains, is also recommended.

In conclusion I may say that, if my own recommendations are accepted, the cost of the improvements at St. Michael's Indian Residential School would be reduced from the estimated total of \$491.46 to \$375.96, which would be increased a little by the cost of the metal weather stripping (which I consider the boys of the Manual Training Class could install at no extra cost). I would, therefore, request that no more than \$400.00 be authorized for the improvements of this School, although I am not able to make any suggestion with regard to where this money is to be found, as it would not appear that such improvements have been allowed for in this year's estimates.

Yours very truly,



Gerald H. Barry.

Inspector of Indian Schools for B.C.

GHB/HN

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

(C O P Y)

Office of Indian Agent.

Alert Bay, B.C.,
March 29, 1938.

Dear Sir:

Replying to your letter No.23/2627 dated March 22nd last, I beg to advise I have given the matter of heating the residence at the Indian Residential School due consideration, and in view of the fact that the residence at the present time does get a small amount of heat from the present heating system located in the main building, it is felt if the Department installed an oil burner in the hall of the residence it would amply heat these rooms and at the same time save the Department a considerable outlay in the cost of a furnace.

This suggestion has been taken up with Principal Anfield of the School, and he is of the same opinion as myself and therefore I would recommend that in place of installing a hot air furnace, at a cost of \$300.00, with an additional cost of \$150.00 for condensate pumps making a total of \$450.00, an oil burner be installed at a cost of \$115.50 as per estimate and illustration enclosed.

You will also please find enclosed a letter and quotations received from Mr. Anfield for additional work and material required to put the residence in proper condition so that he may make his home there when married. I have perused very carefully Mr. Anfield's letter addressed to me under date of March 21st, and agree with him that the work requested is necessary. The walls and ceilings and floors should be done over as well as installing the two French doors for the living and dining room.

In respect to the range, you will please note Mr. Anfield is requesting a new "Kleen-Kook" oil burner range as well as a hot water tank. I might state in this connection when the school was built the Department did supply a cooking range for the residence, but as Mr. Anfield has used it all these years in the interests of the school for domestic science classes as well as in the isolation building, I feel it should be replaced at this time and would recommend that a new one be supplied.

In respect to Item 4, "Installation of Power Plugs" I would state the school is now connected with the city power lines and electrical energy used for the ironer and frigidaire. Our present plant will not permit any further load, and therefore Mr. Anfield is asking that power plugs be installed so that he can personally use the city power, and I would recommend that this work be done for him.

You will please note the total items requested amounts to \$491.46. By using Item No.3, Auxiliary Heater in place of the hot air furnace, the Department will save considerable money and would cut down the total cost to some extent.

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

Mr. Anfield has given the Department many years of faithful service in the interests of the Indian people, and I feel in recognition of this service the Department should at this time show him every consideration by having the residence put into good shape when it is going to be permanently occupied as a residence, and I would therefore recommend that the requests as submitted be approved at an early date so that the work can be got under way and completed by July 1st at the latest in order that he can take up residence there early in August, at which time he expects to be married.

Your obedient servant,

"M. S. Todd"

Indian Agent.

Major D. M. MacKay,
Indian Commissioner for B.C.,
Department of Mines and Resources,
Vancouver, B.C.

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

Ottawa, June 30, 1938.

Dear Sir:

With reference to your telegram of the 24th instant, regarding the walls at the Alert Bay Indian Residential School, the Director of the Surveys and Engineering Branch advised me as follows:-

"With reference to your memorandum of the 25th instant, in which you quote from a telegram received from Indian Agent Todd, I may say that on the 16th idem we were advised by the Chief Engineer that tenders had been received by Mr. Webb for the necessary material and he has since been given authority to place the orders and it is expected that work will begin at once".

Yours truly,

Philip Phelan,
Chief, Training Division.

PH

M. S. Todd, Esq.,
Indian Agent,
Alert Bay,
British Columbia.

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

156-0-5


OFFICE OF THE
DIRECTOR



CANADA
DEPARTMENT
OF
MINES AND RESOURCES

SURVEYS AND
ENGINEERING BRANCH

27th June, 1938.



Memorandum:

Dr. McGill

Re: Alert Bay Indian
Residential School.

With reference to your memorandum of the 25th instant in which you quote from a telegram received from Indian Agent Todd, I may say that on the 16th idem we were advised by the Chief Engineer that tenders had been received by Mr. Webb for the necessary material and he has since been given authority to place the orders and it is expected that work will begin at once.

J. Muir
Director.

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

EX'D.

Ottawa, June 25, 1938.

Memorandum:

DIRECTOR

Surveys & Engineering Branch.

Re: Alert Bay Indian
Residential School.

I desire to refer you to my memorandum of May 13th and previous memoranda, with reference to certain work at the above mentioned Indian residential school.

I am today in receipt of the following telegram from Indian Agent M. S. Todd, Alert Bay, B. C.:-

"Weather favourable treatment walls
Alert Bay Residential School. Please
rush."

In view of the information contained in the above, I would appreciate if you would give the necessary directions for the work at Alert Bay to proceed at the earliest possible date.

PN

Howell

Director.

June 25/38

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

M

school

156-0-5

FORM 6124

CLASS OF SERVICE	SYMBOL
Full-Rate Message	
Day Letter	DL
Night Message	N.M.
Night Letter	N.L.

If none of these three symbols appears after the check (number of words) this is a full-rate message. Otherwise its character is indicated by the symbol appearing after the check.

CANADIAN NATIONAL TELEGRAPHS AND CABLE

CNT 6296
5-36

Exclusive Connection

CONFIRMATION OF TELEGRAM

Telephoned

TO BE.....

del a

D. E. GALLOWAY, ASSISTANT VICE-PRESIDENT, TORONTO, ONT.

0A264 TO COLLECT 60 AND 125 VIA VANBC

STANDARD TIME

ALERTBAY BC 24 NPT

JUN 24 PM 5 40


SECRETARY

476
INDIAN AFFAIRS BRANCH OTTAWA ONT

WEATHER FAVORABLE TREATMENT WALLS ALERTBAY RESIDENTIAL SCHOOL

PLEASE RUSH

M S TODD.



This is a Collect message and will be charged to your account unless we are notified at once to the contrary.

*looped
E.B.*

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

156-0-5.

EX'D.

Ottawa, June 20, 1938.

Dear Sir:

With reference to your letter of May 17th, it is noted that you have been unable to obtain a purchaser for the old tubular boiler formerly used at the Alert Bay Residential School.

You may, therefore, use this boiler for whatever purpose you may require it at some Indian village. You might advise us later what arrangements you have made to use it.

Yours truly,

Philip Phelan,
Chief, Training Division.

M. S. Todd, Esq.,
Indian Agent,
Alert Bay, B. C.

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

ADDRESS RETURN TO
PURCHASING DIVISION

Mr. Phelps
Mr. [unclear]



CANADA
DEPARTMENT
OF
MINES AND RESOURCES
GENERAL ADMINISTRATIVE OFFICES

OTTAWA

156-0-5

PLEASE QUOTE
FILE 20 I.A.
B.C.

B

June 15th, 1938.



MEMORANDUM

Dr. McGill.

Reference is made to your memorandum of the 28th ultimo, your file 156-0-5, referring to a communication evidently sent to the Director by the Acting Salvage Officer on October 2nd last, referring to a boiler surplus to requirements at the Alert Bay, Indian Residential School.

As it would appear that the boiler can now be used by the Agent of the Kwawkewlth Indian Agency, there would be no necessity to secure a Salvage Minute covering the transfer as the property remains on charge to your Branch.

W.M. Bailey
W.M. Bailey,
Departmental Purchasing Agent.

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY



Ottawa,
May 28, 1938.

Memorandum:

MR. BAILEY

On October 2, 1937, the following letter was received from J. C. Kelley, Acting Salvage Officer:

"Prior to the amalgamation of the different Departments, we received a communication under date of November 2nd, 1936, from the Department of Indian Affairs, Ottawa, concerning a boiler which was surplus to requirements and stored at the Alert Bay Indian Residential School.

"Will you kindly advise whether the Indian Agent at this point has been able to secure any other offer for this boiler. If not, we will call tenders for the sale thereof in the usual manner."

Since the receipt of that letter Indian Agent Todd has made every possible endeavour to obtain a purchaser for the boiler but has been unsuccessful.

In a letter dated May 17 Mr. Todd writes:

"We have done our best to try and get a purchaser, but to date have been unsuccessful. After giving the matter further consideration I am recommending to the Department that this boiler be disposed of by having it transferred to the Kwawkewlth Agency and left in my care to be used for any useful purpose I may decide.

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

"I have in mind the providing of a public bath house in some Indian village and feel this boiler could be used to good advantage in heating water for same. If the Department would agree to the transfer I will try and work out a plan and advise you later what arrangements I am able to make."

I would appreciate your obtaining a minute from the Salvage Officer approving the transfer recommended by the Indian Agent.

Howell

Director.

W.A.P.

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

EX'D.

Ottawa,
June 13, 1938.

Dear Sir:

I am in receipt of your letter of the 6th instant enclosing letters received from Indian Agent Todd and Inspector Barry regarding the suggested improvements in the Principal's residence at the Alert Bay Indian Residential School.

In preparing our estimates for the current fiscal year it was only found possible to include an amount of \$800.00 for repairs, improvements and purchase of new equipment at Alert Bay School during the present year. However, a report received from the Surveys & Engineering Branch indicated that \$1145.00 would be required to waterproof the walls and fix the roof. As we had a small sum unallotted we took the additional amount necessary from this item. You will note that we are therefore expending at this school more than we originally intended to do. While the Department would like to make the Principal's residence more comfortable at the same time I regret that it is not possible to provide for a larger expenditure at Alert Bay School this year than has already been authorized.

Yours truly,

Philip Phelan,
Chief, Training Division.Major D. M. MacKay,
Indian Commissioner,
P.O. Box 70,
Vancouver, B. C.

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

INDIAN COMMISSIONER
BRITISH COLUMBIA
23/3693.

156-0-5
CANADA
DEPARTMENT
OF
MINES AND RESOURCES
P. O. Box 70,
Vancouver, B.C., June 6, 1938

INDIAN AFFAIRS
BRANCH



[Handwritten signature]
Dear Sir:

I beg to enclose a communication I have received from G.H. Barry, Inspector of Indian Schools, with regard to suggested improvements in the Principal's residence at St. Michael's Indian Residential School, Alert Bay. I also enclose copy of a letter on the subject from Indian Agent Todd of the Kwawkewlth Agency, in which the school is situated.

If there are any funds available for this, and having in view Mr. Anfield's past valuable services to the Department I am pleased to recommend that the money be made available for the purpose and along the lines as suggested in Inspector Barry's letter.

Yours faithfully,

[Handwritten signature]

For D. M. MacKay.
Indian Commissioner for B.C.

GSP/AC

The Secretary,
Indian Affairs Branch,
Department of Mines and Resources,
Ottawa, Ont.

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

Folio _____

June 14 1938

M Indian Affairs Branch, _____

Department of Mines & Resources, OTTAWA.

In Account with Frank Gagne

Terms _____

Campbell River B.C.


1938

June 3

To supplying 2 - 46 ft creosoted piles,
1 cross timber, bolts and labour driving
same for the fire pump intake at the Alert
Bay Residential School as per contract of

\$ 40.00

Frank Gagne



Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

OFFICE OF THE
INDIAN AGENT



CANADA
DEPARTMENT
OF
MINES AND RESOURCES
INDIAN AFFAIRS BRANCH

PLEASE QUOTE
FILE _____

156-0-5
EX'D.

R

Alert Bay, B. C.,
September 24, 1938.



Sir,-

I have today received a Certificate from the Principal, St. Michael's Residential School, Alert Bay, to the effect that all Fire Extinguishers at this school are in place, in good working condition, and have on July 25th and 26th been refilled and charged.

Your obedient servant,

M. S. Todd

(M. S. Todd)
Indian Agent

The Secretary,
Indian Affairs Branch,
Department of Mines and Resources,
Ottawa, Canada.

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

156-0-5-

[Handwritten scribble]

15-156

SEP 10 1916

Kwawkewlth Agency,

Report for the Month of August.

R

x

x

EX'D. x

During the month work has been completed on the walls and roof of the Residential School at Alert Bay. An entirely new roof has been put on, which appears to be an excellent job. The walls on the east side of the building proper as well as two walls of the Residence have received a coat of Minwax, but it is regretted there was not sufficient funds to complete all the walls on the east side of the school and the residence, as the work now looks to be more or less patchy.

x

x

x

M. S. Todd,
Indian Agent.

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

156-0-5-

EXTRACT
ORIGINAL ON
75-156

SEP 10 1938
RECORDS

Kwawkewlth Agency,
Report for Month of August.

[Handwritten signature]

x

x

x

R

In connection with the Estimates, I would kindly ask the Department to refer to my letter of August 30th in respect to the problem of heating the old Girl's Home, now used as a classroom block at the Residential School. After inspecting the heating equipment with Mr. Arnall, Boiler Inspector, we were both of the opinion that to continue with open fires in this building was not safe, and that some better heating system must be provided if this building is to be used as a classroom block.

x

x

x

M. S. Todd,
Indian Agent.

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

CANADA

ARCHIVES PUBLIQUES

POOR-COPY

156-0-5

Records

Department of Indian Affairs
SEP 2 1938
RECL-05

Ottawa,
September 1, 1938.

Memorandum:

REPRESENTATIVE OF THE TREASURY

Please transfer to the Surveys & Engineering Branch the sum of \$200.00. This amount is required in connection with repairs and improvements that are being made at the Alert Bay Indian Residential School under the direction of the engineer attached to the Surveys & Engineering Branch.

*J.O. 48
Sept 2/38
A.F.M.*

T.R.M.
Acting Director.

[Handwritten initials]

Department of the Treasury
SEP 2 1938
INDIAN AFFAIRS

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

EX'D.

Ottawa,
September 1, 1938.

Memorandum:

REPRESENTATIVE OF THE TREASURY

Please transfer to the Surveys & Engineering Branch the sum of \$200.00. This amount is required in connection with repairs and improvements that are being made at the Alert Bay Indian Residential School under the direction of the engineer attached to the Surveys & Engineering Branch.

TRM
Acting Director.



RA

Sept 2/38

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY

156-0-5

Ottawa,
September 1, 1938.

Memorandum:

DIRECTOR

Surveys & Engineering Branch

Re: Alert Bay Indian Residential
School

With reference to your memorandum of August 25 I am requesting our Treasury Branch to transfer to the Surveys & Engineering Branch an amount of \$200.00 in connection with the work for the above-mentioned school.

TRLM
Acting Director.

Indian Affairs. (RG 10, Volume 6428, file 875-5, part 6)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

POOR-COPY