

Ottawa,
May 5, 1943.

Reverend Sir:

I have your letter of the 26th ultimo, requesting the Department to supply a feed grinder and mower for the Brandon Indian Residential School.

For some years past it has not been our practice to supply agricultural machinery to Indian residential schools where farms are operated and consequently I regret that favourable consideration cannot be given to your request.

Yours truly,

R.A. Hoey,
Supt. of Welfare & Training.

Rev. R.T. Chapin,
Principal,
Indian Residential School,
Brandon, Man.

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

BRANDON, MAN.,

April

19 43

-MR. Indian School.

Brandon.

Oil Burners
Water Softeners, Filters
Pipe Cutting, Boilers.

IN ACCOUNT WITH - **YATES, NEALE & CO.**
PLUMBERS and HEATING ENGINEERS
HIGH GRADE PLUMBING, HOT WATER, ATMOSPHERIC VAPOR
AND STEAM HEATING

Bath Room Accessories
Septic Tanks, Hydraulic
Rams, Stokers.

SUN PRINT, BRANDON, MAN.

DATE	PARTICULARS	FOLIO	TIME AND MATERIAL	CR.	TOTAL
Mch 20	To taking out No 1000 Typhoon Pump & running temporary Pipe Line. M&H. 5hrs.	2.10	10 50		
26	To repairing Pump (M. 17hrs @ 1.40		25 55		
29	2 - 5/8 Studs. (H. 2 1/2 " @ .70		10		
	2 - Gaskets 7 1/2 x 5 1/2	35	70		
	1 - " 5 1/2 x 4		30		
	4 - Pump Leathers.	25	1 00		
	8 - Valve Springs	25	2 00		
	8 - 1 1/2 Valve Discs.	40	3 20		
	Smooth On.		35		
	Welding Pump		2 25		
29	To Connecting up Pump M 3hrs	1.40	4 20		
	1 - 2" Nipple Gal		30		
	Hanger Iron		05		
	Bolts Shellac & Iron Washers		30		
	1 - 1 1/2 Gasket		10		
	3 - Grate Bars for Cottage Heater		7 50		
					58 40

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

PHONE 3399

231 TENTH STREET

NIGHT PHONE 3530 AND 3571

BRANDON, MAN.,

Feb

19 43

--MR.

Indian Residential School.

Brandon.

IN ACCOUNT
- WITH -

JATES, NEALE & CO.

PLUMBERS and HEATING ENGINEERS

HIGH GRADE PLUMBING, HOT WATER, ATMOSPHERIC VAPOR
AND STEAM HEATING

Oil Burners
Water Softeners, Filters
Pipe Cutting, Boilers.

Bath Room Accessories
Septic Tanks, Hydraulic
Rams, Stokers.

SUN PRINT, BRANDON, MAN.

DATE	PARTICULARS	FOLIO	TIME AND MATERIAL	CR.	TOTAL
Feb 13	Clearing Closet, Clean Water Rims, adjust P-ressure, repair Bath Taps	2.10	9 45		
	M&H 4 1/2 hrs				
	1 - 4" Closet Gasket.		5 0		
	2 - Closet Bolts & Washers.		30		
	1 - 2" N.P Packing Nut.		55		
	2 - C. Washers.		10		
	2' - Packing.	15	30		
					11 20

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES


CANADA

VERY
POOR
COPY

133-0-5

Indian Residential School

PHONE 2838



REV. R. T. CHAPIN, B.A.
PRINCIPAL

[Handwritten signature]

EX'D
May 18th 1943
Brandon, Man., -----

The Secretary,
Indian Affairs Branch,
Ottawa, Ont.



Dear Sir,

I am enclosing two accounts from Yates, Neale & Co. both of which represented work which needed immediate attention.

The boys' dormitory toilet kept plugging in spite of all we could do. They took the bowl off and found the lime incrustation had almost closed the drain.

The water pump was beginning to be very slow in pumping. Leathers no doubt were needed and perhaps Discs. They took the pump to their shop for work on it. They found the bearings needed attention also, and while they had the pump apart gave it a thorough overhaul. It is now in first class condition.

In March frost reached the pipe line below ground between the horse barn and cow barn. They loaned us sufficient old pipe and ran a temporary line above ground which we covered with manure. This proved quite satisfactory and gave us ample water for the cow barn. We are still using the temporary line as the frost has not yet come out of the original line.

During the winter when the furnaces are going we need use only one Cottage Heater for hot water. The grates from the other heater had been used to keep this going, so with milder weather when we had to put on the other heater we were three grates short.

Trusting the above explanations of needs are satisfactory.

Yours truly,

[Handwritten signature: R. T. Chapin]

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES ARCHIVES PUBLIQUES
CANADA

VERY POOR COPY

Extract from Mr. Hamilton's report on the Brandon Indian Residential School inspected on May 14 and 15, 1943.

The barns are in fair repair, except the roof on the south side of one stock barn. The shingles should be renewed and this was taken up last fall in my letter 209-11 A.U. in reply to departmental letter 133-0-5, dated October 27th, 1942. It will require 40M shingles and the price on No. 1 is \$8.00 per M, No. 2 \$6.40 per M, less 10%.

P.O.

The following screens are also required:

9 Screens for the Principal's residence	@ \$1.35	-	\$12.15
11 Screens for the school	@ 1.75	-	19.25
			<u>\$31.40</u>

Hamilton

I would again bring to your attention the fact that the roof on the school should be repaired and retarred. Last year Mr. Chapin secured a quotation submitted by McDowall and Duke on this work and the figure was \$400.00. This figure covered certain repair work to the roofing, re-tarring and re-gravelling. I understand the present roof was what is termed a ten-year roof. We have passed that period now and unless this work is carried out we may be obliged later to renew the roofing and this would involve heavy expense.

*See also
letter from Jd.
Nov 9/42
Aug 26/41*

I inspected the farm lands and found seeding operations well along. The fence posts along the road on three sides of the farm have almost all rotted off and the fence is hanging only by the odd good post. It will require approximately 350 posts to rebuild the fence and tamarac posts will cost 40¢ each for 5" posts; a total expenditure of \$140.00. It is necessary to renew the fences not only to keep stock out but to keep our own stock on the farm.

I inspected the two pumps in the school and found that one has recently been repaired and is in good condition. The large pump for fire use should be overhauled and a new valve or two may be required. Mr. Yates could not give a price because it is impossible to know the material required until the pump is dismantled. I strongly recommend that the necessary repairs be carried out.

p.t.o.

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

*VERY
POOR
COPY*

I would be pleased to hear at an early date re the following:

.....

3. I would like authority to have the fire pump put in first-class condition.
4. School roof should be repaired; otherwise a complete new job may be required.
5. The fence is in a disgraceful condition and the posts are needed to make the repairs. There is roughly around four miles of fence to repair. The school land amounts to approximately 960 acres.
6. The barn roof needs re-shingling, but a repair job involving 3M shingles might carry it along for two or three years.

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

DEPARTMENT OF MINES AND RESOURCES

This space for use of Head Office only

REQUISITION FOR SUPPLIES

File No.
133-0-5

June 8 1943

Requisition No.

Order No.

To The Departmental Purchasing Agent, Ottawa,

PLEASE FURNISH THE FOLLOWING SUPPLIES FOR USE OF **Brandon Indian Residential School**

VOTE **76** Allotment **10-691**

SHIP TO **Rev. R.T. Chapin, Principal, Indian Residential School,
Brandon, Man.**

Purpose for which required

NOTE:—Requisition for non-consumable equipment, state if New Issue or Replacement.
“ consumable equipment and supplies use columns 1 and 2.

Quantity		Quantity on hand (1)	Quantity used per month (2)	Unit Price	TOTAL
40M	Shingles				
<p>Note: The above are required for reshingling the south side of one of the stock barns at the Brandon Residential School. Inspector Hamilton states that he can secure No. 1 shingles at \$8.00 per M, No. 2 at \$6.40 per M, less 10%.</p>					

Handwritten initials: CH, RH

I hereby certify that I have personal knowledge that all the above articles are required in the Department and for Departmental purposes only. The expenditure required by this requisition is strictly unavoidable and the public interest will suffer if it is not made.

SIGNED—

APPROVED—

Handwritten signature of Director

Director

Form 37

(SEE OTHER SIDE)

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY POOR COPY

Ottawa,
June 8, 1943.

EX'D.
A

Mr. A.G. Hamilton, Inspector of Indian Agencies,
Winnipeg, Man.

I have your recent letter with reference to your inspection of the Brandon Indian Residential School on May 14 and 15 last. The Departmental Purchasing Agent is being requested to secure the shingles for the roof on the south side of the barn. I am not certain from your letter whether the 10% discount refers both to the No. 1 and the No. 2 shingles, or only to the No. 2.

You may authorize the purchase of the screens at a total cost of \$31.40. You may also have the large pump overhauled. It is hoped that you will keep the cost of the overhauling as low as possible.

I have reviewed the correspondence to which you refer in regard to the repairs required to the school roof. It is noted that Mr. Chapin has secured a quotation from McDowall and Duke on this work. Please forward this for our consideration.

We feel that the condition of the fence is a rather serious reflection on the school management. If each post had been replaced as required, the fence would not be in the condition in which you state it is today.

R.A. Hoey,
Supt. of Welfare & Training.

Handwritten initials: R.A.H.

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

133-0-5

PLEASE REPLY TO
PURCHASING DIVISION
WMV/GEA



CANADA

PLEASE QUOTE
FILE 48406-15-3
Man.

Schroeder



DEPARTMENT
MINES AND TECHNICAL SURVEYS
GENERAL ADMINISTRATIVE OFFICES

OTTAWA June 21st, 1943.

Memorandum:

Mr. R. A. Hoey.

Will you please obtain from Inspector Hamilton advice as to the name and address of the firm quoting the prices indicated on your requisitions of the 8th instant, your file 133-0-5, on shingles for the Brandon Indian Residential School.

Davidson

Departmental Purchasing Agent.

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

Ottawa,
June 22, 1943.

EX'D.
A

Mr. A.G. Hamilton, Inspector of Indian Agencies,
Winnipeg, Man.

I attach copy of a memorandum which has just
been received from the Departmental Purchasing
Agent with reference to the shingles requested for
the barn at the Brandon Indian Residential School.
Please let me have the required information as
soon as possible.

R.A. Hoey,
Supt. of Welfare & Training.

MA

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

133-0-5-

INSPECTOR OF INDIAN AGENCIES



CANADA
DEPARTMENT
OF
MINES AND RESOURCES

INDIAN AFFAIRS BRANCH

209-11 A.U.

Air Mail
Schroeder

538 Dominion Public Bldg.,
Winnipeg, Manitoba,
June 24th, 1943



Indian Affairs Branch,
Department of Mines and Resources,
OTTAWA, Ontario.

In reply to your letter of June 22nd, file 133-0-5, the name of the firm quoting on shingles for the barn at the Brandon Indian Residential School is Wade and Sons, Brandon, Manitoba.

The following is an extract from Mr. Chapin's letter:-

"Wade & Sons have shingles which they quote No. 1 at \$8.00 per M. No.2 at \$6.40 per M. (less 10% discount). 40 M. is needed for the south side of the barn."

A.G. Hamilton

A.G. Hamilton,
Inspector of Indian Agencies
for Manitoba.

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

Ottawa,
June 26, 1943.

EX'D
A

Memorandum:

DEPARTMENTAL PURCHASING AGENT

On receipt of your memorandum of the 21st instant I wrote to Inspector Hamilton requesting the name and address of the firm quoting the prices on shingles for the barn at the Brandon Indian Residential School. For your information I enclose copy of his reply.

R.A. Hoey,
Supt. of Welfare & Training.

MA

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

Ottawa,
June 26, 1943.

Memorandum:

DEPARTMENTAL PURCHASING AGENT

On receipt of your memorandum of the 21st instant I wrote to Inspector Hamilton requesting the name and address of the firm quoting the prices on shingles for the barn at the Brandon Indian Residential School. For your information I enclose copy of his reply.

R.A. Hoey,
Supt. of Welfare & Training.

MAH

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

DEPARTMENT OF MINES AND RESOURCES

Order N^o 18997

RECEIPT FORM

This order number to appear on all packages and invoices

File No. 68400-17-3

Brandon, Man.

Ottawa, June 20, 1913.

19

Supplies mentioned hereunder have been received and found satisfactory with exception of those listed under "Remarks".

Rev. H. T. Chapin, Principal,

Indian Residential School, Brandon, Man.

QUANTITY	DESCRIPTION	UNIT	TOTAL
40 M.	Whitlock's Cedar	per M. Loss 10%	66.40 - 6.64 59.76
			59.76

Blue slip sent to Inspector
Kamela July 3/13

Prices F.O.B. Brandon, Man. as per your quotation to consignee.

Shipping Instructions

Rev. H. T. Chapin, Principal, Indian Residential School, Brandon, Man.

Vote

Primary

Date to be delivered:

Encumbrance No.

504

Immediately.

Freight or Express charges paid

Remarks: (Report shortages, if any)

Branch

Date

TO BE RETURNED TO HEAD OF BRANCH

Signature of Receiving Officer

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

133-0-5



CANADA

DEPARTMENT OF MINES AND RESOURCES

INDIAN AFFAIRS BRANCH

209-11 A.U.

INSPECTOR OF INDIAN AGENCIES

Ach

538 Dominion Public Bldg.,
Winnipeg, Manitoba,
July 6th, 1943.



Indian Affairs Branch,
Department of Mines and Resources,
OTTAWA, Ontario.

Re: Roof repairs - Brandon School,
Dept. letter 133-0-5, June 8th.

I enclose the quotation from McDowell and Duke re the work they think is required on the roof of the Brandon Indian School. I am not satisfied with the information on the quotation and would recommend that Mr. Gow, of the Surveys and Engineering Branch, be asked to check on the condition of the roof, and if necessary secure more details in regard to the enclosed quotation.

A. G. Hamilton

A. G. Hamilton,
Inspector of Indian Agencies
for Manitoba.

Encl.

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

PHONE 3333

BRANDON, MAN.

1943

MR.

Inman Residential School

WADE & SONS LIMITED

BUILDERS' SUPPLIES AND MILLWORK

OFFICE AND YARDS
117 FOURTEENTH ST.

TERMS _____

EIGHT PER CENT. CHARGED ON OVERDUE ACCOUNTS

DATE	No. Pos.	ARTICLES	FEET	PRICE	DEBIT AMOUNT	CREDIT AMOUNT	TOTAL
<i>June. 78</i>	<i>9</i>	<i>Screws -</i>		<i>1.35</i>			<i>12.15</i>
	<i>11</i>			<i>1.75</i>			<i>19.25</i>
							<i>31.40</i>

Accounts due when rendered unless otherwise arranged

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

*VERY
POOR
COPY*

PHONE 3333

BRANDON, MAN.

1943

MR.

Indian Residential School

WADE & SONS LIMITED

BUILDERS' SUPPLIES AND MILLWORK

OFFICE AND YARDS
117 FOURTEENTH ST.

TERMS _____

EIGHT PER CENT. CHARGED ON OVERDUE ACCOUNTS

DATE	No. Pos.	ARTICLES	FEET	PRICE	DEBIT AMOUNT	CREDIT AMOUNT	TOTAL
<i>June 11</i>	<i>9</i>	<i>Screen</i>		<i>135</i>			<i>1275</i>
	<i>11</i>			<i>124</i>			<i>1921</i>
							<i>3140</i>

Accounts due when rendered unless otherwise arranged

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY POOR COPY



MANITOBA POWER COMMISSION

146-8 NOTRE DAME AVENUE, EAST
WINNIPEG, MAN.

SOLD TO

Indian Residential School,
Attention Rev. R. T. Chapin,
BRANDON, Manitoba

OUR INVOICE No. 8016

YOUR ORDER No.

REFERENCE TO

DATE June 29th, 1943.

To replacing 1 30-foot Pole at School.

\$ 25.10

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY



MANITOBA POWER COMMISSION

146-B NOTRE DAME AVENUE EAST
WINNIPEG, MAN.

SOLD TO

Indian Residential School,
Attention Rev. R. T. Chapin,
BRANDON, Manitoba

OUR INVOICE NO. 8016

YOUR INVOICE NO.

REFERENCE TO

DATE June 29th, 1943.

To replacing 1 30-foot Pole at School.

\$ 25.10

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY



MANITOBA POWER COMMISSION

146-8 NOTRE DAME AVENUE EAST
WINNIPEG, MAN.

SOLD TO

Indian Residential School,
Attention Rev. R. T. Chapin,
BRANDON, Manitoba

OUR INVOICE NO. 8016

YOUR INVOICE NO.

REFERENCE TO

DATE

June 29th, 1943.

To replacing 1 30-foot Pole at School.

\$ 25.10

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

133-0-5
Indian Residential School

PHONE 2838



REV. R. T. CHAPIN. B.A.
PRINCIPAL

Brandon, Man., July 6th 1943

The Secretary,
Indian Affairs Branch,
Ottawa, Ont.



Dear Sir,

With reference to the enclosed account may I make the following explanation.

On Sunday June 27th we had a very heavy storm during which one of the electric light poles in the barn yard was blown down. Monday we informed the Power Commission and they put in a new pole, completing the work the following day.

Their enclosed letter gives details of their work.

Yours truly,

R. T. Chapin

OTC

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

(Copy)

McDOWELL & DOKE

Tinsmiths, Heating and Ventilating

115 Ninth Street,

Brandon, Man., June 29, 1943.

Mr. A. G. Hamilton,
Inspector of Indian Agencies,
Winnipeg, Man.

Dear Sir:

We have been requested by the
Rev. R. T. CHAPIN to quote you on repairing
the roof of the Indian Residential School here.
We will sweep the gravel pitch the roof and
regravel where necessary for the sum of \$340.00.

Trusting to be favored with this work,

Yours truly,

McDowell & Doke,
Per W. O. Doke.

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

EXD.
A

Ottawa, July 9, 1943.

Memorandum:DIRECTOR,
SURVEYS & ENGINEERING BRANCH.Re: Brandon Indian Residential School.

Inspector Hamilton reports that the roof on the school should be repaired and re-tarred. He has secured the attached quotation from Messrs. McDowell & Duke, of Brandon, but Mr. Hamilton is not satisfied with the information given in the quotation. It would therefore be appreciated if you would arrange to have Mr. Gow check on the condition of the roof and secure more details in regard to what is required.

Encl.
*[Handwritten signature]**[Handwritten signature]*
Director.*July 12/43*

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

133-0-5

[Handwritten signature]



IA-1480-10

DCM

Dr. McGill:

For your information, please.
Original estimate of McDowell & Doke
attached hereto.
17/7/43.

J.M.W. J.M.W.

July 17, 1943.

EX'D.

Memorandum:

**Re: Indian Residential School,
Brandon, Manitoba.**

With reference to Dr. McGill's memorandum of the 9th instant bearing your notation dated July 13th, 1943, you are advised that we have requested Mr. Gow to arrange for a careful examination of the roof and to submit a complete report with estimate of cost.

On receipt of the data from Mr. Gow we will advise you further on the matter.

The original estimate submitted to Indian Affairs, which accompanied Dr. McGill's memorandum is returned herewith as requested.

Encl.

J. J. Mills

Chief Engineer.

J. M. Wardle, Esq.,
Director,
Surveys and Engineering Branch,
Department of Mines and Resources,
Ottawa,
Ontario.



Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

VERY
POOR
COPY

OFFICE PHONE 3270



133-0-529-11A.0

RESIDENCE PHONES 3819-2601



McDOWELL & DOKE

Tinsmiths, Heating and Ventilating

ALL ESTIMATES FREE

115 NINTH STREET

BRANDON, MAN. June 29/43.



Noted GNB.

Mr. A. G. Hamilton
Inspector of Indian Agencies
Winnipeg Man.

Dear Sir.

We have been requested by the
Rev. R. T. CHAPIN to quote you on repairing
the roof of the Indian Residential School here.
we will sweep the gravel pitch the roof and
regravel where necessary for the sum of \$340.00.

trusting to be favored with this work

Yours Truly
McDowell & Doke
Per. *W. O. Doke*

- PEASE ECONOMY FURNACES
-
- FURNACES CLEANED BY VACUUM GIVE BEST RESULTS
-
- RADIATORS REPAIRED RECORDED AND CLEANED
-
- EAVESTROUGHS, CISTERNS, CISTERN PUMPS, VENTILATORS
-
- BARRETS AND JOHNS MANVILLE TAR AND GRAVEL ROOFS
-
- HAVE CONDITION AIR AND KEEP HEALTHY
-
- DE LAVAL CREAM SEPERATORS AND PARTS



Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY POOR COPY