

## THE "CHEF JUNIOR" RANGE

This line offers the finest heavy duty coal and wood ranges on the market. Built for life-time service, they combine with the most rugged construction and heaviest of cooking tops, unusual strength in oven door design. The "Chef Junior" line of heavy duty ranges consists of three sizes of complete units, each with firebox at left hand end and with one, two or three ovens. These units may be combined to make any arrangement required.

### SPECIFICATIONS

**BODY**—Constructed of 14 gauge steel.

**FIREBOX**—Lined with best grade firebrick 4" thick. Coal grate is heavy oscillating basket type, easily removable and constructed so that the entire fire may be dumped. For wood a flat grate can be supplied in place of the basket type. For use with blower coal a flat perforated grate to fit on top of basket grate can be furnished at additional cost.

**FLUE SYSTEM**—Lined with firebrick where necessary to give added protection from corrosive gases. Efficient standard flue system with draft damper in flue exit below oven. Draft at ashpit door and at end of firebox.

#### FUEL ECONOMIZER IN SMOKE PIPE

**COOKING TOP**—Three-ring cover over firebox and blank plates over the ovens. Top of best grade cast iron, 1½" thick over firebox and 1" thick over oven. Blank plates grooved around edge for draining grease into trough, which runs along front. Trough is standard equipment and has a drain on right end which flows into grease can on side of range.

**IMPROVED FIRE DOOR** which fits into top, permits easy firing.

**OVEN**—Bottom of 12 gauge steel. Top and sides of 14 gauge steel. Extra heavy, drop, platform type doors, insulated 1" thick. These doors have a very heavy cast door frame. Sliding in frame and supporting door when open is a heavy brace hinged to a steel rod. Door is counterbalanced by heavy coil spring concealed in hinge box. Double latch permits door to be left slightly open.

**CLEANOUTS**—Provided both above and below ovens.

**GUARD RAIL**—Standard equipment. Nickel plated finish.

**SHELVES**—Double deck high shelf or high closet constructed of blue polished steel with polished steel trim.

**WATER HEATING EQUIPMENT**—Straight waterfront only.



No. 10 "Chef Junior" with High Closet

### No. 10 "Chef Junior" Range

One fire, one oven.

#### Measurements

Cooking Surface—54" x 35"

Pan Top—30" x 28"

Height to Top—31½"

Smoke Collar—8"

Oven—Width, 26"; Depth, 27"; Height, 15½"

Firebox for Coal or Wood—  
18" x 12" x 10½" deep.

#### Shipping Weights

Range—1400 lbs.

Double-deck High Shelf—70 lbs.

High Closet—70 lbs.

Waterfront—60 lbs.

M<sup>o</sup>CLARY FOOD SERVICE EQUIPMENT

THE "CHEF JUNIOR" RANGE

These ranges have proven very satisfactory when adapted for use with automatic stokers.

When supplied for use with stoker units the firebox and ashpit are completely lined with firebrick; also, if required, the castings on the front of the firebox can be left off and the front enclosed with a blank plate. The opening for stoker connection is made through end or front of firebox as required.

Ranges for use with stokers can be supplied with firebox on either left or right hand side of range.

Owing to the extremely high temperatures which may be developed with some stokers, we are not able to guarantee range tops when used with these units. We are, however, able to supply a top of


a special nichrome mixture which has a greater heat resistance than the standard tops. We, therefore, strongly recommend that all ranges for use with stokers be equipped with nichrome tops over the firebox.



No. 20 "Chef Junior" with Double Deck High Shelf

Measurements:

	No. 20 "CHEF JUNIOR" RANGE One fire, two ovens.	No. 30 "CHEF JUNIOR" RANGE One fire, three ovens.
Cooking Surface .....	84" x 35"	115" x 35"
Pan Tops .....	30" x 28"	30" x 28"
Height to Top .....	31 1/2"	31 1/2"
Smoke Collars .....	8"	10"
Ovens .....	W—26", D—27", H—15 1/2"	W—26", D—27", H—15 1/2"
Firebox for Coal or Wood .....	18" x 12" x 10 1/2" deep	18" x 12" x 10 1/2" deep
<b>SHIPPING WEIGHTS:</b>		
Range .....	1880 lbs.	2400 lbs.
Double Deck High Shelf .....	130 lbs.	190 lbs.
High Closet .....	130 lbs.	190 lbs.
Waterfront .....	60 lbs.	60 lbs.




No. 30 "Chef Junior" with Double Deck High Shelf

Indian Affairs. (RG 10, Volume 6208, file 468-5, part 10)

PUBLIC ARCHIVES  
ARCHIVES PUBLIQUES  
CANADA

# M<sup>c</sup>CLARY FOOD SERVICE EQUIPMENT

## THE "NAVY" RANGE



No. L.H.224-1. "Navy"—With Left-Hand Firebox and High Closet.

This is a well-constructed heavy duty range designed for restaurant or hotel service. Built as a unit of one firebox and two ovens it can be used in conjunction with the "Army" Range to give larger combinations. Can be supplied with either left-hand (No. 224-1) or right-hand (No. 225-1) firebox.

### SPECIFICATIONS

**BODY**—Constructed of 14 gauge steel.

**FIREBOX**—Lined with best quality firebrick 4" thick. Fitted with three heavy triangular grates. If required for burning wood a special grate will be supplied when specified.

**COOKING TOP**—Top over firebox is 1" thick and over ovens  $\frac{3}{4}$ " thick; of best grade cast iron—polished surface. A one-piece steel grease trough is fitted along front of blank plates and is provided with a drain in right end which connects with a removable grease can.

**OVEN**—Bottom of 12 gauge steel; top and sides of 16 gauge steel; aluminum finish. Heavy duty, drop, platform type doors. Fitted with strong, rugged polished hinges, door frame and catch, of wrought iron. Double latch permits door to be left slightly open.

**GUARD RAIL**—Is standard equipment, nickel-plated finish and fits around grease trough.

**SHELVES**—Single or double deck high shelves or high closet; constructed of blue polished steel with polished steel trim.

**WATER HEATING EQUIPMENT**—Flat waterback, "L" waterback, straight waterfront or hot water coil.

#### Measurements:

Cooking Surface—76" x 31"  
Height to Top—30"  
Smoke Collar—8"  
Size of Ovens—W—24", D—21", H—14"  
Firebox—16" x 10  $\frac{1}{2}$ " x 11" D.  
Length of Wood Firebox—25"

#### Shipping Weights:

Range—1200 lbs.  
Single Deck High Shelf—105 lbs.  
Double Deck High Shelf—175 lbs.  
High Closet—175 lbs.  
Flat Water Back—30 lbs.  
"L" Water Back—40 lbs.  
Straight Water Front—40 lbs.  
Hot Water Coil—25 lbs.


4

Indian Affairs. (RG 10, Volume 6208, file 468-5, part 10)

PUBLIC ARCHIVES  
ARCHIVES PUBLIQUES  
CANADA

M<sup>c</sup>CLARY FOOD SERVICE EQUIPMENT

**THE "DOUBLE OVEN HOTEL" RANGE**



No. 39-41. "D. O. Hotel"—With Double Deck High Shelf

This range is constructed for use in institutions, boarding houses and for marine service. Built with two ovens and centre firebox it also meets requirements when it is not possible to use a range with an end firebox. It will burn hard or soft coal, coke or wood.

**SPECIFICATIONS**

**BODY**—14 gauge steel plate.

**FIREBOX**—Fitted with heavy cast lining and oscillating basket grate permitting whole fire to be dumped. Is supplied with a special grate for use with wood, only when so specified.

**FUEL ECONOMIZER IN SMOKE PIPE**

**COOKING TOP**—Top of best grade cast iron  $\frac{3}{4}$ " thick—polished surface. Three-ring cover over firebox and blank plates over ovens.

**OVEN**—Bottom of 12 gauge steel; top and sides of 16 gauge steel; aluminum finish. Heavy duty, drop type doors with rugged hinges, handles, catches, and inner door supports. Door panels are of white porcelain enamel and fitted with bi-metallic thermometers.

**GUARD RAIL**—Standard equipment, nickel plated finish.

**SHELVES**—Double deck high shelf constructed of blue polished steel with polished steel trim, or high closet of blue polished steel with white enameled doors.

**WATER HEATING EQUIPMENT**—Straight waterfront only.

**GALLEY RAIL**—Can be supplied at extra cost when required. Constructed of heavy bar iron.

**Measurements:**

Cooking Surface—66" x 31"  
Height to Top—30"  
Smoke Collar—8"  
Ovens—W—20", D—21", H—14"  
Firebox for Coal—17" x 11" x 12" D  
Firebox for Wood—24" x 11" x 13 $\frac{1}{2}$ " D

**Shipping Weights:**


Range—1050 lbs.  
Double Deck High Shelf—75 lbs.  
High Closet—85 lbs.  
Waterfront—40 lbs.

5

Indian Affairs. (RG 10, Volume 6208, file 468-5, part 10)

**PUBLIC ARCHIVES  
ARCHIVES PUBLIQUES  
CANADA**

THE "ARMY" RANGE



No. 169-51. "Army"—With High Closet

This range is built on the principle of one oven and one firebox to a unit, and any number of such units can be built together as required. It will burn soft or hard coal, coke or wood.

SPECIFICATIONS

**BODY**—14 gauge steel plate.

**FIREBOX**—Lined with high grade firebrick, 4" thick. Fitted with three heavy triangular grates. When required for burning wood a special flat grate can be supplied if specified.

**COOKING TOP**—Top of best grade cast iron  $\frac{3}{4}$ " thick—polished surface. Three-ring cover over firebox and blank plate over the oven.

**OVEN**—Bottom of 12 gauge steel; top and sides of 16 gauge steel; aluminum finish. Heavy duty, drop, platform type doors with strong, rugged polished hinges, catch and frame of wrought iron. Double latch permits door to be left slightly open.

**SHELVES**—Single or double deck high shelf, or high closet; constructed of blue polished steel with polished steel trim.

**WATER HEATING EQUIPMENT**—Flat waterback, "L" waterback, straight waterfront, hot water coil, or flush reservoir.

Measurements:

Cooking Surface—49" x 36"

Height to Top—30"

Smoke Collar—8"

Ovens—W—24", D—21", H—14"

Firebox—16" x 10  $\frac{1}{2}$ " x 11" D

Length of Wood Firebox—21"

Shipping Weights:

Range—745 lbs.

Single Deck High Shelf—70 lbs.

Double Deck High Shelf—110 lbs.

High Closet—110 lbs.

Straight Waterfront—40 lbs.

Flat Waterback—30 lbs.

"L" Waterback—40 lbs.

Hot Water Coil—25 lbs.

Flush Reservoir—85 lbs.

M<sup>c</sup>CLARY FOOD SERVICE EQUIPMENT

THE "ALGOMA" RANGE



"Algoma" Range with flush reservoir

Built particularly for lumber, mining, railway and construction camps, this range is constructed to withstand heavy use and give steady service the year round.

Designed especially for wood burning, coal linings can be supplied if required.

Construction is from heavy steel plate. Oven door has double catch of wrought iron with door frame and handles of same material.

The range is supplied in two sizes: with 35" or 25" oven.

Two different types of reservoirs can be supplied: (1) the flush type; fitted closely to end and heated by direct contact with firebox, or (2) the elevated type around the smoke pipe. Both types are very efficient. Special water-pipe coil may also be supplied for front of firebox for attaching to water supply tank.

Standard for Wood. Coal Linings if desired.

Pipe No.	Collar ins.	Oven ins.	Wood Firebox ins.	Cooking Top ins.	Floor Space		Capacity of Res.		Shpg. Weight (Crated) for Wood	Shpg. Weight (Crated) for Coal	Add for Flush Resv.	Add for Elev. Resv.
					With't Res. ins.	With Flush Res. ins.	Flush gals.	Elev. gals.				
625-2	8	25x27x15	28 1/4 x 11	55x28	55x31	69x31	10	14	505 lbs.	570 lbs.	50 lbs.	45 lbs.
725-2	8	25x27x15	28 1/4 x 11	55x28	55x31	69x31	10	14	505 lbs.	570 lbs.	50 lbs.	45 lbs.
735-2	8	35x27x15	28 1/4 x 11	65x28	65x31	79x31	10	14	575 lbs.	625 lbs.	50 lbs.	45 lbs.
535-2	8	35x27x15	28 1/4 x 11	65x28	65x31	79x31	10	14	575 lbs.	625 lbs.	50 lbs.	45 lbs.

Extra Equipment:

- Coal Linings.
- Hot-Water Coils, add 25 lbs.

Cooking Top:

- 625—Two 10" Covers  
Two Griddle Tops
- 725—Four 10" Covers  
Two 9" Covers
- 735—Four 10" Covers  
Two 9" Covers
- 535—Two 10" Covers  
Two Griddle Tops

Indian Affairs. (RG 10, Volume 6208, file 468-5, part 10)

PUBLIC ARCHIVES  
ARCHIVES PUBLIQUES  
CANADA

## McCLARY FOOD SERVICE EQUIPMENT


**McCLARY HEAVY DUTY RANGES ARE MADE IN THE LARGEST STOVE  
FOUNDRY IN THE BRITISH EMPIRE—LOCATED AT LONDON, ONTARIO**



Molten iron for castings being poured from one of the cupolas.



A section of the moulding shop.



Castings are cleaned by sand blasting.

### RECENT INSTALLATIONS OF McCLARY HEAVY DUTY COAL AND WOOD RANGES

Ritz Grill, Guelph, Ont.	Caruso's Grill, Toronto, Ont.
St. Regis Hotel, North Bay, Ont.	Blackstone Restaurant, Toronto, Ont.
Ivy Lea Hotel, Ivy Lea, Ont.	Maple Leaf Grill, Toronto, Ont.
Martyrs Shrine, Midland, Ont.	Ambassador Restaurant, Toronto, Ont.
College De Ste. Anne De La Pocatiere	Silver Grill, Toronto, Ont.
Frere Du Sacre Coeur, Arthabaska, Que.	Delicious Lunch, Toronto, Ont.
Senatorium De Hull, Hull, Que.	Melrose Cafe, Toronto, Ont.
Hotel Dieu, Arthabaska, Que.	John's Grill, Toronto, Ont.
Maison Christ Roi, Joliette, Que.	Coffee Dan's Restaurant, Toronto, Ont.
Srs. Dominicans du Rosaire, Shawinigan Falls, Que.	Wasaga Inn, Wasaga Beach, Ont.
College St. Joseph, St. Raymond, Que.	Red Lodge, Shequindah, Ont.
Academie St. Jean Baptist, Montreal, Que.	Queens Hotel, Owen Sound, Ont.
Maison Des Retraite Ferme, St. Jean, Quebec	Central Grill, Oshawa, Ont.
Ville St. Joseph, Montreal, Que.	Chateau La Salle, La Salle, Ont.
Soeurs Benedictines, St. Eustache, Que.	Daffodil Tea Rooms, Schumacher, Ont.
Les Carmelites, Montreal, Que.	R.C.A.F. Barracks, Dartmouth, N.S.
Freres Inst. Chretienne, Shawinigan Falls, Que.	Queens Tea Rooms, Toronto, Ont.
Au Bon Coin, Montreal, Que.	Madison Grill, Toronto, Ont.
Splendid Restaurant, Montreal, Que.	Esquire Grill, Toronto, Ont.
St. Luc Tea Room, Montreal, Que.	Camp Acouchiching, Temagami, Ont.
Queensdale Tea Rooms, Toronto, Ont.	Metropolitan Stores Ltd., Sudbury, Ont.
Letros Uptown Restaurant, Toronto, Ont.	

### GENERAL STEEL WARES LIMITED

Montreal Toronto London Winnipeg Calgary Vancouver

8

Form No. K.40-1

Indian Affairs. (RG 10, Volume 6208, file 468-5, part 10)

PUBLIC ARCHIVES  
ARCHIVES PUBLIQUES  
CANADA

7-0-5

THE MOUNT ELGIN INDIAN RESIDENTIAL SCHOOL

MUNCEY, ONTARIO

DEPARTMENT OF MINES AND RESOURCES  
INDIAN AFFAIRS BRANCH

THE UNITED CHURCH OF CANADA  
REV. S. H. SOPER, M.A., PRINCIPAL

March 28th 1945

*Handwritten notes:*  
P. Phelan  
28/3/45

Mr. Philip Phelan.  
Chief Training Division.  
Ottawa.

Dear Mr. Phelan;

I am enclosing herewith quotation on  
Kitchen Range from General Steel Wares,

We will need the High Closet and Coal  
Burning Waterfront.

Hoping that this will meet with your approval  
and early consideration

Yours sincerely.

S. H. Soper.

*Handwritten signature of S. H. Soper*



Indian Affairs. (RG 10, Volume 6208, file 468-5, part 10)

PUBLIC ARCHIVES  
ARCHIVES PUBLIQUES  
CANADA

DEPARTMENT OF MINES AND RESOURCES

This space for use of Head Office only

Ottawa, April 3, 19 45.

Requisition No. \_\_\_\_\_  
Order No. \_\_\_\_\_

To The Departmental Purchasing Agent, Ottawa, 7-0-5

PLEASE FURNISH THE FOLLOWING SUPPLIES FOR USE OF

Mount Elgin Indian Residential School

VOTE 76 ALLOTMENT 12-422 ALLOCATION SYMBOLS

SHIP TO Rev. S. H. Soper, Principal, Mt. Elgin Indian Residential School, MUNCEY, Ont.

Purpose for which required

QUANTITY		UNIT PRICE	TOTAL
1	No. 224-1 McClary Navy Range, coal burning, with high closet and straight water front (I understand that the high closet and water-front will be extra). In this connection I enclose a letter received by the Principal from General Steel Wares, Toronto.		

*General Steel Wares, Toronto*  
*P.O. 2238*  
*Apr 6/45*  
*P.V.*

I hereby certify that I have personal knowledge that all the above articles are required in the Department and for Departmental purposes only. The expenditure required by this requisition is strictly unavoidable and the public interest will suffer if it is not made.

SIGNED— *[Signature]*

APPROVED— *[Signature]*  
Director

- NOTE:—
1. In ordering stationery and printed matter use separate sheets.
  2. Order numbered forms by number or send sample.
  3. Orders for unnumbered forms should be accompanied by samples.
  4. Orders for books should be accompanied by sample pages or folios.
  5. Orders for which purchase orders will issue should give as full details as possible for each item.
  6. All Requisitions should be submitted in duplicate. One copy will be returned as acknowledgment.

Indian Affairs. (RG 10, Volume 6208, file 468-5, part 10)

PUBLIC ARCHIVES  
ARCHIVES PUBLIQUES  
CANADA



P.O.

468.46.12.422.

Indian Affairs. (RG 10, Volume 6208, file 468-5, part 10)

**PUBLIC ARCHIVES**  
**ARCHIVES PUBLIQUES**  
**CANADA**

7-0-5

Ottawa, April 7, 1945.

Memorandum:

DEPARTMENTAL PURCHASING AGENT.

I attach account amounting to \$240.60, covering the cost of a pump and its installation at the Mt. Elgin Indian Residential School. The Agent reported that at the time of a recent visit to the school the Principal directed his attention to the pump used in the laundry. This was an old pump and leaked badly around the valves. A repair man was consulted and he advised that owing to its age and the fact that parts were not available he would not attempt to repair it. The whole laundry depends on this particular pump, which is practically 30 years old, and at that time was likely to play out any day. Under the circumstances, as related above, local purchase was authorized, in order that the pump could be placed in the laundry at the earliest possible date and any serious inconvenience to the staff and pupils avoided.

It would be appreciated if you would issue purchase order so that the account may be paid. The coding is as follows: 468-76-12-422.

Philip Phelan,  
Chief, Training Division.

Encl.

Indian Affairs. (RG 10, Volume 6208, file 468-5, part 10)

PUBLIC ARCHIVES  
ARCHIVES PUBLIQUES  
CANADA

LAMBETH, Ont. ~~March 1945~~ 1945

M. ~~Mow~~ Elgin Institute,

Muncey, Ontario.

In account with

**LAMBETH ELECTRIC**

TOM POOLE, Prop.

**GENERAL ELECTRIC**

Sales and Service

"Repairs on anything Electrical"

Wiring - Radio Service - Plumbing

2	1320 Watt Pail Heater	16.75	33.50
2	211 boxes	1775ea	3.50
1	6' ground rod	1.38ea	1.38
27	ft 2/14	36.53m	.98
1	Surflex keyless	.77	.77
1	Surflex switch	.54	.54
60	ft 2/14 bonded	45.00m	2.70
30	ft #8 W.P.	22.23m	.66
2	screw knobs	32 ea	.64
4	Kearney connectors	24.00ea	.96
8	connectors	6.00c	.48
1	swilvelet	.21ea	.21
5	ft 1/2" conduit	13.37c	.67
	Labour 3 men on Mar. 26 from		
	8.15 to 12.15 @ .80 a hr.		9.60
	Mileage on truck		1.00
	Inspection on pail heaters and		
	shortages		<u>2.30</u>
			59.80

OK *[Signature]*

Indian Affairs. (RG 10, Volume 6208, file 468-5, part 10)

**PUBLIC ARCHIVES**  
**ARCHIVES PUBLIQUES**  
 CANADA

DEPARTMENT OF MINES AND RESOURCES **FORM No. I.A. 506A**  
 INDIAN AFFAIRS BRANCH

TREASURY ONLY  
 CHEQUE No. ....  
 DATE .....

Pay to..... **Thos. Poole,**  
 Address..... **Lambeth Electric,**  
                   **Lambeth,**  
                   **Ontario.**

1945 DATE	SERVICE	AMOUNT
April 4	To payment of material and labour in connection with repair to electric wiring at the Mt. Elgin Residential School, as per attached account.	\$ 59. 89
TRIPPLICATE FOR FILE Voucher in duplicate detached for Accountant to pay.		

I HEREBY CERTIFY that this Voucher is correct, that the material has been supplied, the work performed and that the charges are fair and just, also that the expenditure has been incurred legitimately and that each item of the same is a fair and just charge against the Government of Canada. This expenditure was authorized by Departmental Letter, File No. **7-0-5** dated **Oct. 23/44**

VOUCHER No. **6** DATE **April 4th, 1945.** *Edward Brown* Agent

Indian Affairs. (RG 10, Volume 6208, file 468-5, part 10)

PUBLIC ARCHIVES  
 ARCHIVES PUBLIQUES  
 CANADA

7-0-5

Ottawa, April 12, 1945.

Mr. G. W. Down, Indian Agent, Muncey, Ont.

With reference to voucher No. 6, issued in favour of Thos. Poole, for repairs to the electrical system at the Mount Elgin Residential School, I am reducing the account to \$57.59.

The attached statement amounting to \$2.30 was sent with your voucher, but, as it has not been receipted, payment of it cannot be made.



Philip Phelan,  
Chief, Training Division.

Encl.

Indian Affairs. (RG 10, Volume 6208, file 468-5, part 10)

PUBLIC ARCHIVES  
ARCHIVES PUBLIQUES  
CANADA

London, Ont. April 4th. 1945

Mount Elgin Indian Residential School

WALTER D. CHANNER  
~~GEORGE H. CHANNER~~

INTERIOR DECORATING AND PAINTING

PICTURES and PICTURE FRAMING

Domestic and Imported Wall Papers

	March 1/45			
8	Rolls of Wall #32160	.33	2.64	
30	Yds. of Border	.09	2.70	
7	Rolls of Wall #14130	.40	2.80	
13	KoblerffBcedaing	.33	<del>3.96</del> 4.29	
12	Yds. of Border	.09	1.08	
13	lbs. of paste		2.00	
	March 2nd./45-Credit Returns			
21	Rolls of Wall	.60		12.60
	March 7th./45			
6	Rolls of Wall #14130	.40	2.40	
6	Rolls of Wall #14048	.33	1.98	
	March 9th./45			
6	Rolls of Wall #14130	.40	2.40	
6	Rolls of Wall #14048	.33	1.98	
	March 16th./45			
1	Rolls of Wall #14048	.33	.33	
	March 23rd./45			
24	Yds. of Border	.09	2.16	
	March 28th./45			
19	Rolls of #13817	.40	7.60	
30	Yds. of Border	.08	2.40	
13	Rolls of Ceiling	.33	4.29	
15	Rolls of Green Scenic Wall	.40	6.00	
11	Rolls of Ceiling	.33	3.63	
25	Yds. of Border	.08	2.00	
10	lbs. of Paste		1.50	
			<del>53.85</del> 54.18	
	Less Credit		12.60	
			<del>41.25</del> 41.58	

Indian Affairs. (RG 10, Volume 6208, file 468-5, part 10)

PUBLIC ARCHIVES  
 ARCHIVES PUBLIQUES  
 CANADA



LAMBETH, Ont. February 2, 1945

M. Your Elgin school,

Muncay, Ontario.

In account with

**LAMBETH ELECTRIC**

TOM POOLE, Prop.

**GENERAL ELECTRIC**

Sales and Service

"Repairs on anything Electrical"

Wiring - Radio Service - Plumbing

770 ft 8 W.P. wire		2 1/2 ft. 19.15
1 4 wire rack	2.75	2.75
1 3 wire rack	1.99	1.99
4 2 wire racks	140.80c	5.63
8 washers	.04ea	.32
8 bolts	.14ea	1.12
1 190 screw knobs	.32ea	.32
2 poles	7.00ea	14.00
2 extra ground rods	2.68ea	5.36
Main service at cattle barn		29.98
Main service at horse barn		23.88
Main service at workshop		23.88
Pole light switch		4.60
Pole light		7.25
2 Polarized receptacle openings	4.00ea	8.00
4 new openings	2.60ea	10.40
Inspection		1.65
32 hours of labour to date on		
line	.80hr	25.60
		186.86
Extra on Inspection		1.90
		188.76

Indian Affairs. (RG 10, Volume 6208, file 468-5, part 10)

**PUBLIC ARCHIVES**  
**ARCHIVES PUBLIQUES**  
**CANADA**



**DEPARTMENT OF MINES AND RESOURCES**  
**PURCHASE ORDER**

NO. **2241**  
 THIS ORDER NO. TO APPEAR ON  
 ALL PACKAGES AND INVOICES.

OTTAWA **April 5, 1945** FILE NO. **15-16**

TO **Thos. Poole,  
 Lambeth Electric,  
 Lambeth, Ont.**

PLEASE FURNISH THE FOLLOWING MATERIALS AND CHARGE TO THE DEPARTMENT OF MINES AND RESOURCES.

SHIP TO **Already received**

F.O.B.

QUOTATION OF

RENDER A SEPARATE INVOICE FOR EACH ORDER AND SEND COPIES AFTER SHIPMENT

TO **Already received**

QUANTITY	DESCRIPTION	UNIT	TOTAL
	<p><b>Emergency repairs to the electric wiring                      at the Mount Elgin Residential School,                      Muncy, Ont.      Material &amp; labour                      Inspection fee</b></p>		<p><b>\$186.56                      1.90                      \$188.46</b></p>
	<p><b>As per invoice dated Feb. 2/45.                      Voucher No. 541</b></p>		
	<b>WAV/HC</b>		

VOTE	PRIMARY	OBJECT	ENCUMB. NO.	DELIVERY REQUIRED BY
<b>76</b>	<b>10</b>	<b>691</b>	<b>1737</b>	<b>-----</b>
CERTIFIED IN ACCORDANCE WITH SECTION 29 OF THE CONSOLIDATED REVENUE AND AUDIT ACT 1931.				
FOR COMPTROLLER OF THE TREASURY.			PURCHASING AGENT	
<b>TO BE RETURNED TO HEAD OF BRANCH</b>				
			SEE REVERSE SIDE	

Indian Affairs. (RG 10, Volume 6208, file 468-5, part 10)

**PUBLIC ARCHIVES  
 ARCHIVES PUBLIQUES  
 CANADA**


7-0-5

Ottawa, April 2, 1945.

Memorandum:

DEPARTMENTAL PURCHASING AGENT.

I attach account amounting to \$188.76, covering emergency repairs to the electric wiring at the Mount Elgin Residential School. The Inspector of the Hydro Electric Power Commission visited the school and gave explicit instructions to the effect that immediate repairs must be made. Please issue purchase order so that the account may be paid. The coding is as follows:-  
468-76-10-691.



Philip Phelan,  
Chief, Training Division.

Encl.

Indian Affairs. (RG 10, Volume 6208, file 468-5, part 10)

PUBLIC ARCHIVES  
ARCHIVES PUBLIQUES  
CANADA





**DEPARTMENT OF MINES AND RESOURCES**  
**PURCHASE ORDER**

THIS ORDER NO. TO APPEAR ON  
ALL PACKAGES AND INVOICES.

OTTAWA **Apr. 10/45** FILE NO. **15-2 Cnt.**

TO **W.K. Jones,  
Delaware, Ont.**

PLEASE FURNISH THE FOLLOWING MATERIALS AND CHARGE TO THE DEPARTMENT OF MINES AND RESOURCES.

SHIP TO **Already received**

F.O.B. QUOTATION OF

RENDER A SEPARATE INVOICE FOR EACH ORDER AND SEND COPIES AFTER SHIPMENT

TO **Already received**

QUANTITY	DESCRIPTION	UNIT	TOTAL
1	<b>No. 1501 Beatty direct drive pump</b> <b>Pipe and fittings</b> <b>Wiring material for pump</b> <b>Installation 12 hours</b>		<b>\$210.00</b> <b>7.50</b> <b>12.55</b> <u><b>10.55</b></u>
	<b>Required for Mount Elgin Residential School</b> <b>As per invoice dated Mar. 25/45</b> <b>Voucher No. 3.</b>		<b>\$240.60</b>

WNV/HC

VOTE	PRIMARY	OBJECT	ENCL. NO.	DELIVERY REQUIRED BY
76	12	482	1765	-----
<small>CERTIFIED IN ACCORDANCE WITH SECTION 29 OF THE CONSOLIDATED REVENUE AND AUDIT ACT 1931.</small>				

R 2007

FOR CONTROLLER OF THE TREASURY.

PURCHASING AGENT

TO BE RETURNED TO HEAD OF BRANCH

SEE REVERSE SIDE

Indian Affairs. (RG 10, Volume 6208, file 468-5, part 10)

**PUBLIC ARCHIVES**  
**ARCHIVES PUBLIQUES**  
**CANADA**

7-0-5


Ottawa, April 7, 1945.

Memorandum:

DEPARTMENTAL PURCHASING AGENT.

I attach account amounting to \$240.60, covering the cost of a pump and its installation at the Mt. Elgin Indian Residential School. The Agent reported that at the time of a recent visit to the school the Principal directed his attention to the pump used in the laundry. This was an old pump and leaked badly around the valves. A repair man was consulted and he advised that owing to its age and the fact that parts were not available he would not attempt to repair it. The whole laundry depends on this particular pump, which is practically 30 years old, and at that time was likely to play out any day. Under the circumstances, as related above, local purchase was authorized, in order that the pump could be placed in the laundry at the earliest possible date and any serious inconvenience to the staff and pupils avoided.

It would be appreciated if you would issue purchase order so that the account may be paid. The coding is as follows: 468-76-12-422.



Philip Phelan,  
Chief, Training Division.

Encl.

Indian Affairs. (RG 10, Volume 6208, file 468-5, part 10)

PUBLIC ARCHIVES  
ARCHIVES PUBLIQUES  
CANADA









