



St. Thomas, Nov. 6 1923

M. M. Elgin Institute

MANUFACTURED BY F. N. BURT CO., LIMITED, TORONTO

Date		Charges	Credits
1923			
	Forward	2773	✓
	2. 16 oz. Peroxide	120	✓
	2. 16 oz. Listerine	100	✓
	3 oz. Camphor Gum	60	✓
	16 oz. Glycerin	75	✓
	8 oz. Fr. Turbine Ammon.	110	✓
	8 oz. Sweet Nitre	110	✓
	8 oz. Oil Eucalyptus	75	✓
	1 Dozo Seltzer	100	✓
	6 ² Epsom Salts	100	✓
	1 Max Water Bottle	250	✓
Nov. 5	2 gal. Muriatic Acid	250	✓
		4123	✓
	Express on Muriatic Ac.	75	✓
		4198	✓

JM

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
 ARCHIVES PUBLIQUES
 CANADA

7-0-5

DRUGS
PHOTO SUPPLIES
387 TALBOT ST.
ST. THOMAS

**JUDD,
FRASER
AND
COCHRANE**

BOOKS
STATIONERY
COLBORNE ST.
PORT STANLEY

Acct St. Thomas, Nov 6 1923
 M. Mansel *Erwin Institute*

DEPT. OF INDIAN AFFAIRS
 NOV 9 1923
 CHARGES CREDITS
 RECORDS

Date	Description	Charges	Credits
Nov 27	Clinical Thermometers	4 50	
May 25	1/2 ^z Butter of Antimony	35	
	1/2 ^z Spts. Alum Nit.	110	
	Listerine	125	
July 31	3 ^z Epsom Salts	50	
	2 ^z Abs. Cotton	118	
Sept. 15	1 doz. 2x10 Bandages	240	
	1/2 doz 4oz. Absorbent	210	
	3 pkgs. Med. Lint	105	
	Thermometer	125	
	8 oz. Spts. Ammon. Acow.	120	
	2 oz. Boracic Ointment	25	
	1 Vaseline	20	
	16 oz Castor Oil	70	
	1 ^z Epsom Salts	20	
	8 oz. Olive Oil	50	
	1 Cold Cream	50	
	1 Lotion	50	
	1/2 gal Formaldehyde	20	
Oct. 27	2. 2x10 Adhesive Tape	75	
	3. 2 ^z Bandage	20	
	3. 1 ^z Bandage	75	
	1 ^z Lassar's Paste	125	
		<u>2773</u>	✓

ACCOUNTANTS
 NOV 13 1923
 BRANCO

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
 ARCHIVES PUBLIQUES
 CANADA

THIS RECEIPT

MERCHANDISE RECEIPT. Approved by the Board of Railway Commissioners for Canada by Orders No. 12953, dated 10th February, 1911, No. 22973, dated 7th December, 1914 and General Order No. 144, dated 29th April, 1915.

Liability Limited to \$50.00, unless higher value is declared by shipper and inserted herein, in which case an extra charge is made according to value declared. No extra charge if value declared under \$50.

NOT NEGOTIABLE**AMERICAN RAILWAY EXPRESS CO.**(8015
6-18)Office at Albany Province of Ontario Date May 5 1913

Received of _____ (herein called the shipper)

valued at _____ said to contain _____

addressed _____ Dollars

DUPLICATE

which the AMERICAN RAILWAY EXPRESS Co., herein called the "Company," agrees to carry and deliver upon the terms and conditions on the back hereof, to which the shipper hereby agrees, and, as evidence of such agreement, accepts this shipping receipt.

This agreement is limited subject to the classification authorized by the Board of Railway Commissioners for Canada, and all the clauses of said classification, not inconsistent with this agreement, are incorporated herewith.

For the Company: [Signature]
Agent.

AMERICAN EXPRESS COMPANY
ISSUES /
MONEY ORDERS AND DRAFTS ON FOREIGN COUNTRIES AND MAKES TELEGRAPHIC AND CABLE TRANSFERS
INDEPENDENT and CONDUCTED TOURS
EVERY PART OF THE WORLD.

TRAVELERS CHEQUES
Originated by this Company in 1891
A modern, economical, secure and satisfactory form of carrying funds for foreign or domestic travel. Issued for \$10, \$20, \$50, \$100 and \$200 and paid by 15,000 Correspondents throughout the World.
TRAVELERS LETTERS OF CREDIT ALSO ISSUED.

FOREIGN SHIPPING DEPARTMENT
The Company FORWARDS EXPRESS SHIPMENTS of MERCHANDISE, BAGGAGE, VALUABLES and SECURITIES and FREIGHT CONSIGNMENTS in SMALL or CARLOAD LOTS, by every class of service, to or from all FOREIGN COUNTRIES and the United States and Canada.

Bills, Coupons, Dividends and other paper, Records Books, Pays Taxes for non-residents, serves legal papers, etc.
FOR MORE INFORMATION CAN BE OBTAINED AT ANY AGENCY.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

INVOICE

GEO. W. DAVEY, Pres. & Gen. Mgr.

G. LAWRENCE DAVEY, Vice-Pres.

E. A. DAVEY, Secretary

R. G. BUTTERY, Manager

THE DAVEY HARDWARE CO., LIMITED

Wholesale and Retail Hardware

RAILWAY SUPPLIES, SHELF AND
HEAVY HARDWARE

ST. THOMAS, ONTARIO.....October 12th,.....192 3.

SOLD TO.....**The Muncey Institute,**.....

.....**Muncey, Ontario.**.....

Terms.....

Interest charged on overdue accounts

12 only Nobs for #6 Wires, with screws		1	20	
60 feet #6 W. P. Wire		2	40	
½ lb. Rubber Tape			35	
½ lb. Friction Tape			35	4 30
2 only 75 Ampere Cartridge Fuses				
2 only 100 ampere " "		2	60	2 60
12 only 15 ampere 250V Cartridge Fuses	.15	1	80	1 80
1 only 60 ampere 250V D. P. Single Throw Service Box			15 50	15 50
				24 20

JMS

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

**PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA**

INVOICE

GEO. W. DAVEY, Pres. & Gen. Mgr.

G. LAWRENCE DAVEY, Vice-Pres.

E. A. DAVEY, Secretary

R. G. BUTTERY, Manager

THE DAVEY HARDWARE CO., LIMITED

Wholesale and Retail Hardware

RAILWAY SUPPLIES, SHELF AND
HEAVY HARDWARE

ST. THOMAS, ONTARIO October 12th, 1923.

SOLD TO The Muncey Institute,

Muncey, Ontario.

Terms

Interest charged on overdue accounts

3 only 60W 32V Nitrogen Bulbs	.80	2 40	
10 only 40W 32V Tungsten Bulbs	.40	4 00	
30 only 25W 32V Tungsten Bulbs	.40	12 00	
		18 40	
Less 15%		2 76	15 64

JWS

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

Vote No.

Treaty No.

*Sch
Vote*

Department of Indian Affairs

To Davey Hardware Company,

St. Thomas, Ontario.

DATE	SERVICE.	AMOUNT.
Nov. 12	To goods as per invoice attached	15. 64 ✓
	To goods as per invoice attached.	24. 20 ✓
<p><i>Authorized by Mr. Dir. Architect S.P. M.</i></p> <p><i>Prices obtained from General Electric in London on exactly the same as above</i></p> <p><i>S.P. M.</i></p>		
<p><i>Sch Vote</i></p> <p>RECOMMENDED FOR PAYMENT</p> <p><i>Ray</i></p> <p><i>J.M.S.</i></p> <p><i>12/11/23</i></p> <p>ACCOUNTANT</p>		
<p><i>37 28</i></p> <p><i>Nov. 19/23</i></p> <p><i>J.M.S.</i></p>		
TOTAL.		\$ 39. 84

I HEREBY CERTIFY that this Voucher is correct, that the material has been supplied, the work performed and that the charges are fair and just; also that the expenditure has been incurred legitimately and that each item of the same is a fair and just charge against the Government of Canada.

J.R. Mallett
Agent

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

Vote No.

Treaty No.

See note

Department of Indian Affairs

To Ponsford Construction Company,

St. Thomas,

Ontario.

DATE	SERVICE.	AMOUNT.
Nov. 12	To building material as per invoice attached. Authorized by Mr. Orr, Architect for the Department.	\$ 135. 57
<i>Only paper now as handling this material</i>		
<i>J. P. Orr</i>		
<i>Int Nov. 19/23</i>		
<i>3727</i>		
<i>JMS</i>		
TOTAL.		\$ 135. 57

I HEREBY CERTIFY that this Voucher is correct, that the material has been supplied, the work performed and that the charges are fair and just; also that the expenditure has been incurred legitimately and that each item of the same is a fair and just charge against the Government of Canada.

J. P. Orr
Principal

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

7-0-5

ST. THOMAS, ONT., Oct. 31- 1923. 192



GENERAL CONTRACTORS AND BUILDERS
COMPLETE LINE OF BUILDING SUPPLIES. ETC.

M Mount Elgin Institute,

Muncey, Ont.



IN ACCOUNT WITH

PONSFORD CONSTRUCTION CO.
LIMITED

Aug. 16-	400 Fire Brick	@ \$ 85.00 M-	\$ 34.00 ✓
	250# " Clay	@ .02 1/2 -	6.25 ✓
	60 ft. 8" Tile	@ .45 -	27.00 ✓
	3- 6 x 8 Y's-	@ 2.25 -	6.75 ✓
20-	4- 6" Traps	@ 2.65 -	10.60 ✓
Sep. 6-	1- 6" "	" 2.65 -	2.65 ✓
22-	75 Fire Brick	" 8 5.00 ✓	6.38 ✓
	100 " Clay	" .02 1/2 -	2.50 ✓
24-	75 Fire Brick	" 85.00 -	6.38 ✓
	100 Fire Clay	" .02 1/2 -	2.50 ✓
Oct. 24-	255 " "	" .02 1/2 -	6.38 ✓
	250 Fire Brick	" .08 1/2 -	21.25 ✓
	Prepay freight charges	-	2.93 ✓
			-----\$135.57 ✓

JMS

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

CERTIFICATE.

Department of Indian Affairs,

Muncey, November 17th 19423

Certificate No. 3

\$ 1500.00

I hereby Certify that John Eggett Company, London, Ont. has supplied material and performed labour on the installation of a new system of heating at Mount Elgin Institute, Muncey, Ont. Contract for A L L work entitling them to a third payment of Fifteen Hundred dollars.

Table with 4 columns: Certificate No., Amount, Description, and Total. Row 1: Certificate No. 1, \$ 2000.00, Contract, \$ 6,600.00. Row 2: Certificate No. 2, 2500.00, Extras. Row 3: Certificate No. 3, 1500.00. Row 4: Certificate No. 4, 600.00. Row 5: Certificate No. 6, Total.

Handwritten note: 394.3 Mtnt 920v. 29/23.

Table with 4 columns: Description, Amount, Description, Amount. Row 1: Labour and material in building at first certificate, \$ 2,400.00. Row 2: additional at 2nd, 2,800.00. Row 3: 3rd, 1,200.00. Row 4: 4th. Row 5: 5th.

Labour and material required to complete contract, \$ 200.00


Signature: J.R. M... For Mr. O...

Received payment... DEPARTMENTAL ENGINEER.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES ARCHIVES PUBLIQUES CANADA

7-0-5



DEPARTMENT OF INDIAN AFFAIRS
CANADA

*architect
acc
2-10
A. Gurney Orr*

Ottawa, Oct. 9, 1923.

Dear Mr. McVitty:

I am sending you herewith as promised a copy of the Second Certificate which I have issued in favour of the contractors for the installing of the heating system at the Institution. I think this will show you quite clearly the amount of money which they have been paid, and will indicate the nature of a third certificate which you may issue if the contractors desire further advance before I have an opportunity of making another inspection.

Yours very truly,

[Signature]
R. GURNEY ORR.

ARCHITECT.

Rev. B. R. McVitty,
Principal,
Mount Elgin Institute,
Muncey, Ont.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

7-0-5

Mount Elgin Indian Residential School

S. R. McVITTY, Principal



Architect

Muncey, Ont., November 14th 1923

The Secretary,
Dept. of Indian Affairs,
Ottawa, Ontario.

B

Dear Sir;

Pleased to report that our steam heating plant is now in operation, and apparently quite satisfactory.

The heating contractors seem to think they are not responsible for making good damage done to walls and floors by making openings for pipes and etc. It would seem to me that Clause 7, page 5; Clause 4, page 12, and Clause 33, page 21 of specifications would make them responsible for necessary repairs.

We have assisted in every way in cleaning up rubbish and dirt, but the repairs will need an expert workman. We would like to have these Clauses interpreted by the Department.


I am, Dear Sir,

Yours respectfully,

S. R. McVitty


Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA



DOUBLE

For Use in Hotels, B...



PARTICULARS:—

No.	Size of Each Oven, Inches	Size of Cooking Surface, Inches	Size of Foundation for Installation, Inches	Size of Firebox, Inches	Size of Pipe Collar, Inches	Length of Wood Firebox, Inches	Height to Cooking Surface, Inches	Cooking Holes, Inches	Shipping Weight, Square Lbs.
159-50	24x21x14	49 ³ / ₄ x35 ³ / ₄	46 ⁷ / ₈ x21 ¹ / ₂	17x13 ³ / ₄	7	25	30	6x9	745
259-50	24x21x14	96 ¹ / ₂ x35 ³ / ₄	95 ¹ / ₄ x21 ¹ / ₂	17x14 ³ / ₄	7	25	30	12x9	1,510

Full Covers or with Ring Cover over fire, and French plates.
For dimensions and instructions for ordering, see page 10.

KE 8

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

Kitchen

RANGE

Private and Public Institutions

BURNS HARD COAL AND WOOD
Specially Adapted for Burning Any Grade of Canadian Soft Coal

CONSTRUCTION :

Body: The Body is constructed of Heavy Steel Plate specially selected and tested. To assure rigidity the Body is reinforced with angle iron and closely riveted with steeple-headed rivets driven cold, by hand. The inside of the body and the outside of bottom is aluminized, preserving the steel from rust.

Cooking Surface: The Top is of heavy Cast-iron, solid and durable—the surface doubly burnished by the McClary special process.

Firebox:

GRATES: The Triple-Bar Grates are powerfully constructed to meet the intense heat and hard wear to which they are subjected. Made from our specially moulded cast iron—three-sided so that each side can be used separately, thus prolonging their life threefold.

LININGS: The linings are of pure firebrick, a fabric with extraordinary power of resistance against the destructive effects of the gases from the coal. The bricks are standard size; when worn away after years of service they can be immediately replaced with bricks available locally. Skilled help is also unnecessary when replacement is being made.

Oven: The top of Oven is provided with a heavy cast-iron stiffener, which adds to the rigidity of the entire Range. The bottom of the Oven is of heavy-gauge steel.

Oven Door: The Oven Door is made from Heavy Steel Plate, with wrought-iron frames, reinforced at corners, which hold it firm and rigid. As will be seen from illustration, the drop type is used, with heavy, well-made holders to enable the door, when open, to withstand any weight required of it.

Doors: All other doors are of well-finished cast-iron mouldings and are carefully assembled to swing easily and fit snug when closed.

Bottom: The Bottom of the Range is constructed of Heavy Steel Plate, riveted and securely bolted.

Smoke Box: The Smoke Box is bolted to the body, thus it can be readily removed when it is desired to move the range through an ordinary sized doorway.

FEATURES:

The Army is built on the principle of one oven to one firebox and can be supplied with any number of units to meet the largest requirements. Each unit—the oven and firebox—can be fitted solidly together with a special plate provided for that purpose. The top of the Army is interchangeable, the number of covers or French Plates provided at the discretion of purchaser.

The Burnished Top: The special burnishing process which the cooking top undergoes, renders the surface free from any irregularities and ensures a clean, bright, sanitary surface. The process also toughens the material and gives an extremely well finished appearance, pleasing to the eye. A glance at the measurements will demonstrate the exceptional size of the cooking surface—this is a feature much appreciated by the chef and his helpers.

A large sectional ring cover immediately over the fire is supplied with the French Plate top—this permits a utensil of any size to come into direct contact with the fire.

Oven: The Oven is well proportioned and uniformly heated, interior well finished and smooth.

An additional reinforcement for the top of the Oven is provided through the lining of same with highest quality asbestos. This asbestos is heat-resisting and protects the steel top from direct contact with the heat—it thus prolongs the life of the steel and also tempers the heat when it is at its greatest intensity, as it issues from the firebox.

Flue Construction: The flue construction effectively carries the heat all around the oven. The heat passes over the top of the oven, down the end and the whole of the bottom, passing up the flue at the back of the Range—top, side, bottom and back are, therefore, evenly heated.

Everything in the Army Range is rigid and tight-fitting—there are no loose joints, as they are made perfectly tight with Asbestos Wool; this effectively prevents escape of gases, fumes, etc.

The Range is operated from the front, and dampers are so provided as to be easy of access to the operator.

The Cooking Surface of the Single and Double oven Army can be supplied with full covers or with ring Cover over fire and French Plates.

For dimensions and instructions see page 10.

KE 7


Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

7-0-5

Mount Elgin Indian Residential School

S. R. McVITTY, Principal



McVitty
McVitty

Muncey, Ont., November 17th 1923



The Secretary,
Dept. of Indian Affairs,
Ottawa, Ontario.

Dear Sir;

Our cooking range in the lower kitchen has been in continuous use for fifteen years, and it is so far used up that it is impossible to keep food from burning. Yesterday I was in London, and got price of \$215.30 from Mc Clarys on "Double Oven Army Range", which would suit us fine. This is wholesale price. We greatly need a range like this and hope the Department may supply one.

I am, Dear Sir,
Yours respectfully,

we will purchase from the manufacturer as was done with the range - the work was purchased

must have purchased from persons in our manufacturing

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

7-0-5

J. EGGETT

H. S. LAUGHTON

H. J. WIDDEN


EGGETT & CO.

SANITARY PLUMBERS—GAS, STEAM AND HOT-WATER FITTERS

ESTIMATES FURNISHED
PHONE 210

336 RIDOUT ST.
(3 DOORS NORTH OF YORK ST.)

LONDON 29th November 1923



ASSESSMENT OF WORK-
MEN'S COMPENSATION
BOARD PAID FOR
CURRENT YEAR

Handwritten notes:
Spec. file
Dept of Indian Affairs
Ottawa Ont

*Dept of Indian Affairs
Ottawa Ont*

R

Dear Sir

on the 20th inst we sent you a certificate for another payment of \$1500⁰⁰ on our contract for Heating system in Mount Elgin Institute but to date have not received same please try and let us have this as soon as possible.

Inclosed please find invoice for our contract, also for some extra work ordered by Mr. S. R. Mervitt also credit for radiation not put in.

*Yours truly
Eggett &*

H. J. Widden

P.S. also Security cheque.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA



DEPARTMENT OF INDIAN AFFAIRS
CANADA

7-0-5

Ottawa, Dec. 5, 1923.

OK [Signature]
to the memo [Signature]
7-0-5 [Signature]

Memorandum: Mr. Scott.

I have been advised that the contract for installing the new heating system in the building of the addition to the Mount Elgin Institute is completed, and the contractors have asked for a final payment on their contract and the return of their deposit securities.

Before this payment can be made it will be necessary to make an inspection of this work to see that it has been completed in accordance with the plans and specifications. It is two months since I made the last inspection of this work. If you approve I will arrange to make a final inspection some day next week.

[Signature]
ARCHITECT.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

J. EGGETT

H. S. LAUGHTON

H. J. WIDDEN

336 RIDOUT ST.,
(3 DOORS NORTH OF YORK ST.)

LONDON,

13th December 1923

M. *St. Elgin Institute*

Imoney

Ack Note

IN ACCOUNT WITH

EGGETT & CO.

SANITARY PLUMBERS, STEAM AND HOT-WATER FITTERS

ESTIMATES FURNISHED

PHONE 210

Nov 21	To Heating as per our tender		660000	
	<i>to</i>			
	By 12 Radiators, Valves, Draps, Pipe, Fitting & Labor (not put in)		37528	622492
	To extra for Plumbing			
	.. cutting out 5" stack, cleaning & repairing			
	.. 10 1/2" S.H. soil pipe ⁸⁰⁰ 25 lbs each lead 5-5" jts ²⁷⁵		1075	
	.. breaking into 4" stack for W.C. connection secure & same			
	.. " " " " " Sink " " " "			
	.. 4" S.H. soil pipe ⁴²⁰ 38 lbs each lead 9-4" + 1-2" jts ^{4.18}		838	
	.. 1-4" brass ferrule ⁶⁵ 1-11" x 12 lead 1/2" 5 lbs solder ²²⁶ ^{1.50}		441	
	.. 1-4" brass W.C. flange, nut, bolts & screws		80	
	.. 20 1/2" pipe ¹⁴⁶ 1-1/2" union ³⁵ 1-1/4" tee ³⁵ 1-1/2" tee ¹⁴		224	
	.. 2 1/2" nipples ¹² 4 1/2" elbows ⁴⁰ 1-1/2" cap ⁰⁵ 2 5/8 ball valve ¹⁰		67	
	.. 1 1/2" + 3" " ¹⁸ 1 1/2" + 4 5/8" g. dyerator ¹⁵⁶ 2 1/2" g. pipe ⁴⁰		114	
	.. 1 1/2" + 5" " ²⁰ 1 1/2" Ideal S trap complete with oil print		270	
	.. 1 H.P. sink strainer ⁴⁰ 2 H.P. long run bolts ¹⁴		54	
			3163	
			70	
			3233	
			90	4950
			cont	8182
			20%	1637
				9820
				622292
				600000
				32292
				66000
				982.92

Recommended for Payment,
W. W. Moore
 Registered Architect.
 Senior Plumber 55 yrs.

EXAMINED and found correct.
J. W. Moore

2273-32292
 sent Aug 21/24

Sept 11 By cash ^{2000.00} Oct 12 ^{2500.00} Dec 3 ^{1500.00}

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
 ARCHIVES PUBLIQUES
 CANADA



DEPARTMENT OF INDIAN AFFAIRS
CANADA

Ottawa, Dec. 14, 1923.

Memorandum:

[Signature]
Mr. Paget.

I made an inspection yesterday of the new heating system at the Mount Elgin Institute at Muncey. This contract is now completed and the work is very satisfactory.

I wish, however, to withhold the issuing of the final certificate until the contractors have blown down the boilers, which is called for in the specification. When I have heard from Mr. McVitty that this has been done I will prepare the final certificate.

I would recommend, however, that their deposit securities held in connection with their contract be returned to them.

[Signature]
ARCHITECT.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

December 14th., 1923.

Sir,-

With reference to my letter of the 8th August last, enclosing cheque for \$660.00 deposited by the John Eggett Company, London, Ont., as security in connection with a contract awarded them by this Department, I beg to request that this amount be now returned, as the contract has been satisfactorily completed.

Yours obediently,

F.H. Paget
For Deputy Superintendent General.

The Deputy Minister of Finance,

Ottawa.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

Department of Finance

Ottawa, Canada, 17 December 1923.

*Archibald
refer
funder*

Sir,

I have the honour to acknowledge receipt of your letter of the 14 inst. and enclose as requested cheques in favour of the undermentioned persons, being refund of deposits and interest thereon on account of *Contractors Security*.

7981. The John Eggatt Co. 664.95-

*sent
18/12/23
Reg. Mail*

I have the honour to be,
Sir,
Your obedient servant,

W. L. Blair
For Deputy Minister of Finance.

The Deputy Minister,
Dept. of *IA*
Ottawa.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

QUOTATIONS CONTINUED

Date

Reg. No.

Item	Quantity	DESCRIPTION	Unit Price	Extension
		<p>OVEN DOORS: The doors shall be of heavy steel with wrought iron frame with corners extra reinforced. The oven doors shall hinge down and shall be supported by two wrought iron supports rigidly rivetted to frame and body.</p> <p>JOINTS: All joints shall be filled with asbestos wool in order to make range air-tight and provide perfect control through the drafts.</p> <p>DRAFT CONTROL: Drafts shall be regulated from front of range; the lever handle shall reach front to back, also be provided with direct drafts and slide drafts in ash-pit door.</p> <p>GRATES: There shall be three grates, triple-sided, operated by one shaker. They should be of cast-iron of the best material. Grates shall be so constructed that they be easily removed.</p> <p>CLEAN-OUTS: Proper clean-outs for flues shall be provided.</p> <p>ASH PAN: Ash pan shall be large in size and of the best material.</p> <p>HIGH CLOSET: The range shall be provided with a high closet full length of range.</p> <p>For further details, firms quoting are referred to the "Galley Range" as manufactured by McClary Mfg. Co. and illustrated on page K3-14 of their catalogue.</p> <p>NOTE: If the range figured on is different from the above specifications, firms quoting should attach to their tender, a specification of their range, together with cuts.</p>		


 R. DUNNICK CRR.
 Architect for the Department
 of Indian Affairs.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
 ARCHIVES PUBLIQUES
 CANADA

DEPARTMENT OF INDIAN AFFAIRS

OFFICE OF THE PURCHASING AGENT

Ottawa,

Req. No.


Manooy, Ontario.

Please quote your lowest price, ON THIS SHEET, for the following material f.o.b.

freight charges prepaid. Price must be shown NET, giving effect to all your trade discounts. No charge will be allowed for containers, packing, packing cases, crates or cartage. The right is reserved to accept or reject quotations on each item separately or as a whole. This sheet must be signed by you. Please return this sheet IN THE ACCOMPANYING ENVELOPE whether you quote or not.

Quotations will be received until noon

January 12, 1964.



Purchasing Agent.

To the Purchasing Agent, Dept. of Indian Affairs

We quote you the following prices on material listed below, freight charges prepaid to destination named. If favoured with your order we will ship within (a) days after receipt of your order.

Date (b)

Sign } (c)
here }

QUOTATIONS ONLY. THIS IS NOT AN ORDER

ITEM	QUANTITY	DESCRIPTION	UNIT PRICE	EXTENSION
		<p>Fill in number of days in space (a) and date in space (b) Sign your name in space (c)</p> <p>KITCHEN RANGE REQUIRED FOR MOUNT SIAIN INSTITUTE AT MUNOY-ONT.</p> <p>1 DOUBLE OVEN RANGE in accordance with the following specifications:-</p> <p>Size of each oven: 27 x 20 x 16. " " cooking surface : 37 x 36. " " each firebox : 17 x 11.</p> <p>BODY: The body shall be of heavy high grade sheet steel rivetted together and strongly reinforced where necessary, braced and strengthened at edges with band iron.</p> <p>TOP: The cooking top shall be of heavy cast iron specially durable, heat resisting and long wearing. Shall be firmly held to body with bolts, and polished to a smooth finish. There shall be two reducing covers, one over each fire-box; the remainder of the top shall consist of two large blank plates.</p> <p>OVENS: The ovens shall be of the size indicated above, and equipped with rack. The sides shall be nickel plated and the back aluminized to prevent rust. The bottom shall be provided with two heavy cast iron stiffeners reaching from end to end, to prevent from buckling or bending. The top of oven shall be covered with heavy asbestos board to protect the steel wall.</p> <p>FIRE BOXES: The fire boxes shall be built to conform strictly to the requirements of oven and cooking surface, lined with pure fire-brick, 6" thick at back, 4 inches at sides and two inches at front.</p>		

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

[Handwritten signature]
LIST OF THE FIRMS FROM WHOM TENDERS WERE
ASKED ON MOHAWK INST. FILE.

Numbers from 1 - 9.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

Mount Elgin Indian Residential School

S. R. McVITTY, Principal



Muncey, Ont.,January...4th.....1914

This is to certify that Messrs Eggett and Co, London, Ont. have made all necessary repairs to walls and floors of the Mt. Elgin Institute, broken by them whilst installing steam heating system at said school.

S. R. McVitty
Principal.


Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

7-0-5

Mount Elgin Indian Residential School

S. R. McVITTY, Principal



architect

Muncey, Ont., January 7th 1924

B

E. Gurney Orr Esq.,
Dept. of Indian Affairs,
Ottawa, Ontario.

Dear Mr. Orr;

I am wondering just what you are doing about change to lighting plant. This is so small we have to run it continuously, and it is already showing bad effects.

Don't be in any hurry settling with Eggetts for heating. Have had first real test this cold snap, and it is not very satisfactory. We wont complain until we are sure the fault is not in operating.

Yours sincerely,

S. R. McVitty

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

7-0-5

Ottawa, Jan. 9, 1924.

Dear Mr. McVitty:-

Replying to your letter of the 7th instant with reference to the lighting plant, I beg to say that I called up the Ottawa representative of the Fairbanks Morse Co. and he has promised to wire Toronto to ship you immediately a 32 volt - 3-1/2 K.W. generator and a 6 H.P. engine to replace the plant you already have. This is the outfit that we decided, when I was last at Muncsey, would be best suited for your requirements.

When the account is forwarded to you for this plant I would ask you to please certify to it and forward it to me. I explained to the representative here that the account should show the cost only of the plant they are now installing, and that no notice is to be taken, in making out the account that is to be presented to the Department, of the plant first installed. I would be glad to hear from you as soon as they have made the change if same is satisfactory.

I notice your remarks with reference to the heating plant and I am sorry to hear that it is unsatisfactory. When I made the last inspection of this work it appeared to me that everything was in good shape, and I cannot see why the installation is not giving good satisfaction. If there is any trouble it must be some minor detail that can be very easily overcome. I understand that Mr. Baldwin of the Dunham Heating Co. Ltd. inspected this work and was well pleased with the installation. I will withhold final payment from the contractors until I have heard from you again.

Yours very truly,

Rev. S. R. McVitty,
Principal,
Mount Elgin Inst.,
Muncsey, Ont.

R. GURNEY ORR.
Architect for the Department.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

7-0-5

7-0-12

File



Ottawa, Jan. 16,
1924.

Dear Mr. McVitty:

I beg to advise you that an order has today been placed with the Gurney Foundry Co. of Toronto for one of their double oven army ranges "John Bull", including warming closet.

They have been asked to ship this addressed to you at Muncey and also to forward the accounts to you. I would ask you to forward them on to the Department stating that the range has been received.


Yours very truly,

R. GURNEY ORR.
Architect for the Department.


Rev. S.R. McVitty,
Mount Elgin Inst.,
Muncey, Ont.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)


PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA



Happy Thought Steel Range




Standard Cast Range




Happy Thought Cast Range

Happy Thought Hotel Range

BURNS ANY KIND OF FUEL HARD OR SOFT COAL, COKE OR WOOD.
For use in hotels, restaurants, boarding houses, clubs and institutions



Happy Thought Combination Range




Britannia Steel Range



Bonita Happy Thought



Three-In-One Heater



Happy Thought Pipe Furnace



Bungalow Pipeless Furnace



No. 9-26

CONSTRUCTION

BODY—The steel plate body is double in thickness, interlined with heavy asbestos millboard. This construction reduces radiation, maintains an even temperature and raises the heat of the oven more rapidly.

GRATES—Heavy durable grates constructed to meet the intense heat and hard wear to which they will be subjected. Three triple-sided bars, the centre one shaker, are easily removed by means of two turn buckles.

LININGS—These are of iron stone fire brick, heat retaining and practically indestructible, very thick.

OVEN—Large, 26-inch square oven, 15-inch deep, will handle heavy baking or roasting requirements. Massive oven door frame, handles and hinges are of malleable iron, nickel finish.


TOP—Large cooking surface 18" x 31" with three French key plates, one over firebox having ring cover. English top—9-inch covers can be supplied if desired. Nickelled towel bar full length of cooking surface. Top connecting plate used for more than one unit.

For prices see page 8, September 25, 1923, price list.

The HAPPY THOUGHT FOUNDRY COMPANY, Ltd.
BRANTFORD, CANADA

HAPPY THOUGHT

Ranges — Furnaces



Happy Thought Quebec Heater

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

QUOTATIONS CONTINUED

Date

Reg. No.

Item	Quantity	DESCRIPTION	Unit Price	Extension
		<p>.2.</p> <p>OVEN DOORS: The doors shall be of heavy steel with wrought iron frame with corners extra reinforced. The oven doors shall hinge down and shall be supported by two wrought iron supports rigidly rivetted to frame and body.</p> <p>JOINTS: All joints shall be filled with asbestos wool in order to make range air-tight and provide perfect control through the drafts.</p> <p>DRAFT CONTROL: Drafts shall be regulated from front of range; the lever handle shall reach front to back, also be provided with direct drafts and slide drafts in ash-pit door.</p> <p>GRATES: There shall be three grates, triple-sided, operated by one shaker. They should be of cast-iron of the best material. Grates shall be so constructed that they be easily removed.</p> <p>CLEAN-OUTS: Proper clean-outs for flues shall be provided.</p> <p>ASH PAN: Ash pan shall be large in size and of the best material.</p> <p>HIGH CLOSET: The range shall be provided with a high closet full length of range.</p> <p>For further details, firms quoting are referred to the "Galley Range" as manufactured by McClary Mfg. Co. and illustrated on page KE-14 of their catalogue.</p> <p>NOTE: If the range figured on is different from the above specifications, firms quoting should attach to their tender, a specification of their range, together with cuts.</p>		

R. GURNEY ORR.
 Architect for the Department
 of Indian Affairs.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
 ARCHIVES PUBLIQUES
 CANADA