

DEPARTMENT OF INDIAN AFFAIRS
OFFICE OF THE PURCHASING AGENT

Ottawa,

Req. No.


Muncey, Ontario.

Please quote your lowest price, ON THIS SHEET, for the following material f.o.b.

freight charges prepaid. Price must be shown NET, giving effect to all your trade discounts. No charge will be allowed for containers, packing, packing cases, crates or cartage. The right is reserved to accept or reject quotations on each item separately or as a whole. This sheet must be signed by you. Please return this sheet IN THE ACCOMPANYING ENVELOPE whether you quote or not.

Quotations will be received until noon

January 12, 1928.



Purchasing Agent.

Agent, Dept. of Indian Affairs

on material listed below, freight charges prepaid to destination named. If favoured with your order we will ship within receipt of your order.

1928.

Sign here

(c)

HAPPY THOUGHT FOUNDRY CO. Ltd.,
Brantford, Ont.

QUOTATIONS ONLY. THIS IS NOT AN ORDER

DESCRIPTION

UNIT PRICE

EXTENSION

in space (b)

RANGE REQUIRED FOR
AT MUNCY-ONT.

In accordance
with quotations:-

259.60

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA



W. W. NOBBS
Manager

BRANTFORD Dec. 27, 1923. 192

Purchasing Agent,
Dept. of Indian Affairs,
Ottawa, Ontario.

Dear Sir:

Kitchen Range, Mt. Elgin Institute:

We are returning tender sheet in connection with the above, price having been filled in. Our No. 926 HAPPY THOUGHT Hotel Range will conform with the specifications given except that the oven is slightly larger, the dimensions being 26" wide, 20" deep and 15" high.

Our Ranges are made with one firebox for each oven, which we think is preferable and means a much longer life for the range. The price quoted is for two units, that is two ovens and two fireboxes, which will be joined together both at the top and in front.

Yours truly,

HAPPY THOUGHT FOUNDRY COMPANY, Ltd.,

Manager.

WVN/F.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

QUOTATIONS CONTINUED

Date

Reg. No.

Item	Quantity	DESCRIPTION	Unit Price	Extension
		<p>OVEN DOORS: The doors shall be of heavy steel with wrought iron frame with corners extra reinforced. The oven doors shall hinge down and shall be supported by two wrought iron supports rigidly rivetted to frame and body.</p> <p>JOINTS: All joints shall be filled with asbestos wool in order to make range air-tight and provide perfect control through the drafts.</p> <p>DRAFT CONTROL: Drafts shall be regulated from front of range; the lever handle shall reach front to back, also be provided with direct drafts and slide drafts in ash-pit door.</p> <p>GRATES: There shall be three grates, triple-sided, operated by one shaker. They should be of cast-iron of the best material. Grates shall be so constructed that they be easily removed.</p> <p>CLEAN-OUTS: Proper clean-outs for flues shall be provided.</p> <p>ASH PAN: Ash pan shall be large in size and of the best material.</p> <p>HIGH CLOSET: The range shall be provided with a high closet full length of range.</p> <p>For further details, firms quoting are referred to the "Galley Range" as manufactured by McClary Mfg. Co. and illustrated on page KE-14 of their catalogue.</p> <p>NOTE: If the range figured on is different from the above specifications, firms quoting should attach to their tender, a specification of their range, together with cuts.</p>		

R. GURNEY ORR.
 Architect for the Department
 of Indian Affairs.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
 ARCHIVES PUBLIQUES
 CANADA

DEPARTMENT OF INDIAN AFFAIRS
OFFICE OF THE PURCHASING AGENT

Ottawa,

Req. No.

Munsey, Ontario.

Please quote your lowest price, ON THIS SHEET, for the following material f.o.b.

freight charges prepaid. Price must be shown NET, giving effect to all your trade discounts. No charge will be allowed for containers, packing, packing cases, crates or cartage. The right is reserved to accept or reject quotations on each item separately or as a whole. This sheet must be signed by you. Please return this sheet IN THE ACCOMPANYING ENVELOPE whether you quote or not.

Quotations will be received until noon **January 12, 1923.**

[Signature]
Purchasing Agent.

To the Purchasing Agent, Dept. of Indian Affairs

We quote you the following prices on material listed below, freight charges prepaid to destination named. If favoured with your order we will ship within (a) days after receipt of your order.

Date (b) *Dec 24/1923*

Sign here

The Gurney Massey Co Ltd
[Signature]


QUOTATIONS ONLY. THIS IS NOT AN ORDER

ITEM	QUANTITY	DESCRIPTION	UNIT PRICE	EXTENSION
		<p>Fill in number of days in space (a) and date in space (b) Sign your name in space (c)</p> <p>KITCHEN RANGE REQUIRED FOR MOUNT ELGIN INSTITUTE AT MUNSEY-ONT.</p> <p>1 DOUBLE OVEN RANGE in accordance with the following specifications:-</p> <ul style="list-style-type: none"> • Size of each oven: 27 x 20 x 16. " " cooking surface : 27 x 36. " " each firebox : 17 x 11. <p>BODY: The body shall be of heavy high grade sheet steel rivetted together and strongly reinforced where necessary, braced and strengthened at edges with band iron.</p> <p>TOP: The cooking top shall be of heavy cast iron specially durable, heat resisting and long wearing. Shall be firmly held to body with bolts, and polished to a smooth finish. There shall be two reducing covers, one over each fire-box; the remainder of the top shall consist of two large blank plates.</p> <p>OVENS: The ovens shall be of the size indicated above, and equipped with rack. The sides shall be nickel plated and the back aluminized to prevent rust. The bottom shall be provided with two heavy cast iron stiffeners reaching from end to end, to prevent from buckling or bending. The top of oven shall be covered with heavy asbestos board to protect the steel wall.</p> <p>FIRE BOXES: The fire boxes shall be built to conform strictly to the requirements of oven and cooking surface, lined with pure fire-brick, 6" thick at back, 4 inches at sides and two inches at front.</p>		

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

GURNEY-OXFORD
MODERN KITCHEN EQUIPMENT
GURNEY-OXFORD



John Bull Double Oven Army Range

ORDINARILY this Range will meet the required demands of from seventy-five to one hundred and twenty-five people.

French or English top.

For hard and soft coal or wood.

This Range is always shipped with English top as illustrated unless otherwise specified.

Illustrating No. 10-27 Double Oven with Warming Closet.
(English Top)

DIMENSIONS, ETC.

	No. 9-27.	No. 10-27
Dimensions of each oven	27" x 25" x 14 $\frac{1}{2}$ "	27" x 25" x 14 $\frac{1}{2}$ "
Top cooking surface of range	7' 1" x 2' 9"	7' 1" x 2' 9"
No. of holes, English top ranges	12, 9"	12, 10"
Length of wood firebox	30"	30"
Approximate shipping weight	1,300 lbs.	1,300 lbs.

For Waterfront see page 26.

We manufacture a full line of most up-to-date equipment for Hotel and Institution Kitchens, such as Bake Ovens for coal or gas, Carving Tables, Sinks, Ranges, Toasters, Service Tables, Urns, Dishwashers, Cast Iron Steamers and Jacketed Kettles, etc. *Seventeen*
Underline the items of interest to you, write your name and address hereon, and we shall have pleasure in mailing other leaflets or complete catalogue.
THE GURNEY FOUNDRY COMPANY, LTD.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
 ARCHIVES PUBLIQUES
 CANADA



THE
Gurney
FOUNDRY COMPANY, LIMITED

THE GURNEY-MASSEY CO., LIMITED, MONTREAL
THE GURNEY NORTHWEST FOUNDRY CO., LIMITED, WINNIPEG
THE GURNEY FOUNDRY CO., LIMITED, VANCOUVER
THE GURNEY HEATER MFG. CO., BOSTON, MASS.

**HEATING & COOKING APPLIANCES
COMMERCIAL ENAMEL PRODUCTS**

PLEASE ADDRESS REPLY TO THE COMPANY
FOR ATTENTION OF THE UNDERSIGNED.

TORONTO, Can.

Dec. 27, 1923.

Department of Indian Affairs,
Ottawa,
Ont.

Gentlemen:-

Attention: Purchasing Department.

We are very pleased to tender herewith, on the Double Oven Kitchen Range which is required for the Mount Elgin Institute at Muncey, Ont. as per your request for quotation attached hereto.

No. 9-27 John Bull Double Oven Army Range, which is constructed as follows: The body is built of extra heavy wrought steel sheets uniform in thickness and with the least possible number of joints. The bottom is braced and strengthened with angle steel and held in place by a heavy "H" brace that prevents warping. The top is extra heavy and has extra strengthening ribs at short intervals and can be supplied in either the French or English style and is firmly held to the body by bolts, and is polished to a smooth finish. The ovens are made entirely of sheet steel and are equipped with one rack each. Each fire box measures approximately 20" x 8" x 8" and is equipped with a simplex grate. If the fire box is for wood burning only it would measure 30" in length. The fire boxes are lined with heavy fire bricks. The range will conform to the following dimensions. Top cooking surface 85" x 33".; each oven 27" x 25" x 14 1/2". This range is priced to you at \$150.00. This price is f.o.b. Toronto and the freight to Muncey, on a range of this size, would cost you approximately \$6.50

If you require the Warming closet that is shown on the illustration which we are enclosing herewith, this would cost you extra \$32.50

This range is designed and built with a view to giving long service and satisfaction, and has won friends for Gurney products wherever it has been installed.

We thank you for having given us the opportunity to quote on this item and we can assure you that if we are favored with your valued order it will have our prompt and careful attention.

Yours very truly,

THE GURNEY FOUNDRY CO., LIMITED

W. E. Cliver
ALL AGREEMENTS AND UNDERTAKINGS SUBJECT TO FIRES, STRIKES OR OTHER CAUSES BEYOND OUR CONTROL
GMH. Sales Dept.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

**PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA**

6
QUOTATIONS CONTINUED

Date

Reg. No.

Item	Quantity	DESCRIPTION	Unit Price	Extension
		<p>OVEN DOORS: The doors shall be of heavy steel with wrought iron frame with corners extra reinforced. The oven doors shall hinge down and shall be supported by two wrought iron supports rigidly rivetted to frame and body.</p> <p>JOINTS: All joints shall be filled with asbestos wool in order to make range air-tight and provide perfect control through the drafts.</p> <p>DRAFT CONTROL: Drafts shall be regulated from front of range; the lever handle shall reach front to back, also be provided with direct drafts and slide drafts in ash-pit door.</p> <p>GRATES: There shall be three grates, triple-sided, operated by one shaker. They should be of cast-iron of the best material. Grates shall be so constructed that they be easily removed.</p> <p>CLEAN-OUTS: Proper clean-outs for flues shall be provided.</p> <p>ASH PAN: Ash pan shall be large in size and of the best material.</p> <p>HIGH CLOSET: The range shall be provided with a high closet full length of range.</p> <p>For further details, firms quoting are referred to the "Galley Range" as manufactured by McClary Mfg. Co. and illustrated on page KB-14 of their catalogue.</p> <p>NOTE: If the range figured on is different from the above specifications, firms quoting should attach to their tender, a specification of their range, together with cuts.</p>		
<p>R. GURNEY ORR. Architect for the Department of Indian Affairs.</p>				

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
 ARCHIVES PUBLIQUES
 CANADA

DEPARTMENT OF INDIAN AFFAIRS
OFFICE OF THE PURCHASING AGENT

Ottawa,
Req. No.

Mineey, Ontario.

Please quote your lowest price, ON THIS SHEET, for the following material f.o.b. freight charges prepaid. Price must be shown NET, giving effect to all your trade discounts. No charge will be allowed for containers, packing, packing cases, crates or cartage. The right is reserved to accept or reject quotations on each item separately or as a whole. This sheet must be signed by you. Please return this sheet IN THE ACCOMPANYING ENVELOPE whether you quote or not.

Quotations will be received until noon **January 12, 1924.**

[Signature]
Purchasing Agent.

To the Purchasing Agent, Dept. of Indian Affairs

We quote you the following prices on material listed below, freight charges prepaid to destination named. If favoured with your order we will ship within days after receipt of your order.

(a) Date (b) *Jan 3/1924* Sign here (c) *THE McCLARY MFG. CO. J. A. Benule*

QUOTATIONS ONLY. THIS IS NOT AN ORDER

ITEM	QUANTITY	DESCRIPTION	UNIT PRICE	EXTENSION
		Fill in number of days in space (a) and date in space (b) Sign your name in space (c) KITCHEN RANGE REQUIRED FOR MOUNT BIG IN INSTITUTE AT MINEEY-ONT.		
	1	DOUBLE OVEN RANGE in accordance with the following specifications:- Size of each oven: 27 x 20 x 16. " " cooking surface : 37 x 36. " " each firebox : 17 x 11. BODY: The body shall be of heavy high grade sheet steel rivetted together and strongly reinforced where necessary, braced and strengthened at edges with band iron. TOP: The cooking top shall be of heavy cast iron specially durable, heat resisting and long wearing. Shall be firmly held to body with bolts, and polished to a smooth finish. There shall be two reducing covers, one over each fire-box; the remainder of the top shall consist of two large blank plates. OVENS: The ovens shall be of the size indicated above, and equipped with rack. The sides shall be nickel plated and the back aluminized to prevent rust. The bottom shall be provided with two heavy cast iron stiffeners reaching from end to end, to prevent from buckling or bending. The top of oven shall be covered with heavy Asbestos board to protect the steel wall. FIRE BOXES: The fire boxes shall be built to conform strictly to the requirements of oven and cooking surface, lined with pure fire-brick, 6" thick at back, 4 inches at sides and two inches at front.	<i>Original McClary Galley Range #127 207.50</i>	<i>207.50</i>

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA



W.M. GARTSHORE
PRESIDENT

DIRECTORS
JOHN McCLARY GUNN

A.M. SMART
VICE-PRESIDENT & TREASURER

JOHN McCLARY MOORE T.G. MEREDITH, K.C.
SECRETARY
J.K.H. POPE

THE McCLARY MANUFACTURING Co.

HEAD OFFICE AND FACTORIES
LONDON-CANADA
BRANCH OFFICES AND WAREHOUSES
TORONTO
MONTREAL
WINNIPEG
VANCOUVER
ST. JOHN, N.B.
HAMILTON
CALGARY
SASKATOON
EDMONTON

CABLE ADDRESS: McCLARY, LONDON
CODES USED: A.B.C. AND WESTERN UNION

ALL CONTRACTS SUBJECT TO DELAYS BY CAUSES BEYOND OUR CONTROL
BUSINESS CORRESPONDENCE TO RECEIVE PROMPT ATTENTION SHOULD BE ADDRESSED TO THE COMPANY.

Montreal, Jan. 3, 1924

Department of Indian Affairs,
Ottawa, Ont.

Attention of Mr. R.G. Orr, Architect.

Dear Sir:-

We enclose herewith our tender on
1-only original McClary Garry Range, No. 227, in
accordance with your specifications, on which we
take pleasure in quoting at *207⁵⁰* F.O.B.
Muncey, Ont., and assure you of immediate delivery
should we be favored with your valued commands.


Awaiting your pleasure, we are,

Truly yours,
THE McCLARY MANUFACTURING COMPANY

JWS/JK

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA



“Lang” Souvenir Patent 3-Oven Range

For Soft Coal or Wood

One Fire Box Heats 3 Ovens---Hot Blast Draft---Smoke Burning---Solid Top

See the sectional illustration and complete description of this remarkable Range on the centre pages of this section. Note carefully its distinctive new features that no other range has. This Range burns less coal than any other 3-Oven Range ever made, and cheap soft coal with better results than other ranges get from high priced hard coal. You can reduce your fuel bill from one-third to one-half by installing this Range.

This Range has a smooth solid top, made in five pieces, with no separate rim or over-hang and is the best top to work on, as every Chef will tell you, that has ever been put on a Range. The Range is furnished with aluminum finished trimmings. The fire box can be furnished on either end of the Range. Smoke connection can be furnished to come off the top or off the back of the end flue. All Ranges shipped with top smoke connection unless otherwise ordered. In ordering, specify on which end of the Range the fire box is wanted, otherwise all Ranges will be shipped with left hand fire.

NOTE.— Smoke pipe for this Range must be 10 inches in diameter and must be connected to a flue of equal capacity.

Prices F. O. B. Hamilton, Canada.

No. 324	Range complete, as shown above, with smooth polished top. Each oven 24 inches wide, 24 inches deep, and 14 inches high. Top surface, including shelf, 40 inches deep and 108 inches long. Shipping weight about 1,600 lbs. Each.....	\$283.00
No. 324	Range with Low Shelf only.....	\$250.00
	High Shelf Extra.....	18.00
	Polishing Top, extra.....	15.00
	Pipe Coil or Iron Water Front extra.....	8.00

MADE BY

The Hamilton Stove and Heater Co., Limited, Hamilton, Can.

Successors to GURNEY, TILDEN & CO., Limited.


Western Agents—TILDEN, GURNEY & CO., Limited. WINNIPEG CALGARY VANCOUVER
Sales Agencies—TORONTO AND MONTREAL.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

**PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA**

Successors to GURNEY, TILDEN & CO., Limited.

STOVE AND HEATER CO., Limited, HA.



“Lang” Souvenir Patent Hot-Blast Hotel Range

Made by The Hamilton Stove and Heater Co., Limited.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

Here's a range that does things that no range ever did before. It's a range that burns cheap soft coal—that burns its own smoke—that heats three ovens almost as cheaply as you now heat one—that cuts your cost for fuel to half what it is with other hotel and restaurant ranges—and yet does better work than any other range that has ever been built. Here's the range that you ought to have. We guarantee it to do everything we say it will do in these pages. We guarantee it to be the best hotel and restaurant range that has ever been made. Our whole business, our reputation, is back of every claim we make. Every hotel and restaurant man who has been in the market for a range, and has known about the "Lang" Souvenir Range, has insisted on having it.

In the illustration above we show how this new range is built, complete, from firebox to smoke pipe. We show how the fuel is burned from the top instead of the bottom, securing a perfect mixture of oxygen with the burning gases and enabling you to burn soft coal as well as hard. We show how the air is heated red hot before it reaches the firebox, thus giving a hot blast draft instead of a cold one. And we show how the heat from a single firebox is swept in a broad unbroken stream completely around the three ovens, heating all three as evenly and thoroughly as if each had a separate firebox of its own. These important features mean simply this—that you can heat three ovens with LESS THAN HALF THE COAL used by the ranges commonly in use, get better results, and do it with CHEAP SOFT COAL.

The Hot Blast Feature

The only draft that the "Lang" range gets comes in through the cylinder opening at A, as shown above. From here it passes under the firebox at B, then around the firebox on both sides, and having thus become superheated, comes in above the fuel through holes in the firebox linings, C and D. Every atom of oxygen is therefore red hot, ready to unite with the burning gases in perfect combustion the instant it enters the firebox. This one feature alone means a tremendous increase in the heat production of your fuel. The draft is regulated by the damper, N.

The Top-Burning Feature

Introducing the draft above the fuel instead of below, and having this draft evenly distributed the full length of the firebox, is one of the big features of the

"Lang" range. For this method insures an even mixture of the heated oxygen with the burning gases, secures absolutely perfect combustion and burns up the smoke. It enables you to burn cheap soft coal with perfect results.

One Firebox for Three Ovens

This single firebox heats all three ovens more thoroughly and evenly than one oven is heated in most of the ranges now in use. A wide flue, the full width of the range, 24 inches wide and 4½ inches deep, carries the burning gases in an unbroken stream of flame across the top of the range, down over the end, across the bottom, and finally up the smokestack, having completely encircled the entire range. Follow the arrows from the firebox at D, past E, F, G, H, J and K, and you will see the course of this flue. This gives you the benefit of ALL the heat that your fuel generates and gives an absolutely even distribution of heat all over the top as well as in every oven. Put a half dozen thermometers in different parts of any oven and they will all register the same. The firebox may be at either the right or the left of the range, as you prefer.

Smooth Polished Solid Top.

The "Lang" ranges are built with smooth, beautifully polished, solid tops. You can broil steaks or make griddle cakes right on the range top itself. This top is as smooth as the best polished griddle. The top is made in few pieces, each piece as wide as an oven. There is no separate overhang or rim—nothing but the top—and this top is bolted on, solid and immovable. These are the best tops to work on that have ever been made. They can't warp or crack. They

are supported by the castings, M, M, and M.

Burns Soft Coal or Wood

Cheap soft coal is as good as hard coal when you have a "Lang" range. The liberal supply of superheated air brought into the top of the firebox and there mixed with the burning gases, makes this possible. Moreover, the smoke which the soft coal produces is practically all consumed. The grate bars, also, when the grate is closed, lie close together, so that fine coal will not fall through.

Flues between Ovens

Small Vertical Flues are provided between the first and second ovens and between the second and third ovens, allowing some of the heat currents to pass down between the ovens when it is desired to throw additional heat on to any one or two. This is regulated by dampers, R, R.

Grates and Firebox Linings

The grate bars are made of heavy cast iron, joined to a cross bar at the front to which the shaking lever is attached. Each grate bar can be lifted out by itself in two seconds. Thus if a grate bar gets burned out after long use you simply remove it and put in another—much easier and much less expensive than supplying a whole new grate.

The firebox linings are made in six separate pieces—two on each side and one at each end—that can easily be lifted out with one hand. They are not cemented or bolted, yet always remain in place. If any piece burns out you

simply remove it and slip in another. It's the simplest and best arranged firebox ever built into a range.

General Construction

Body of range is 18 gauge Steel and the ovens are 14 gauge on the bottom and 16 gauge on the sides and top. All joints are sealed air tight. Tops are very heavy, made of best grade semi-cast steel, polished. Each range is equipped with a plate shelf 11 inches wide, as shown in the illustration. This shelf is securely fastened to the back of the range and rigidly braced. The tops of all sizes of our "Lang" ranges are 29 inches wide, exclusive of the overhanging shelf at the back, 40 inches wide including the shelf. Each range stands 33 inches high. All trimmings are aluminum finished.

The oven doors have two catches each, and are so strongly braced with double supports, when open, that they will bear the weight of a heavy man.

Flue cleanouts are provided both above and below each oven, at the end of the last oven, and below the firebox. (See S in illustration.) With a scraper two feet long you can easily clean the flue throughout its entire length. For a three-oven range your smoke flue must be not less than 10 inches in diameter; for a two-oven range not less than 9 inches; and for a one-oven range not less than 8 inches.

For Burning Wood

This range can be equipped with a special firebox for burning wood exclusively, if so desired.

See Illustrations and Price of 3-Oven, 2-Oven and 1-Oven Range on Adjoining Pages

"Lang" Souvenir Patent Hot-Blast 2-Oven Range


The special features that make this range the most efficient and most economical 2-oven range ever made are completely illustrated and described on the preceding page. This range will give you better results from soft coal than any range will give you with hard coal. Heats both ovens with one fire box, and burns its own smoke. The beautifully polished solid top, made in just three pieces, is bolted down, and can't warp or crack.

This range is 33 inches high, and the top, including the back shelf, is 40 inches deep. Trimmings are aluminum finished. Made with firebox at either right or left of range as desired.

In ordering specify on which end of the Range the firebox is wanted, otherwise all Ranges will be shipped with left hand fire. Burns either wood or coal.

NOTE.—Smoke pipe for this Range must be 9 inches in diameter and connected to a flue of equal capacity.

Prices F. O. B. Hamilton, Canada.



No. 224	Range complete, as shown, with smooth polished top. Each oven 24 inches wide, 24 inches deep and 14 inches high. Top surface, including shelf, 40 inches deep and 82 inches long. Shipping weight about 1,250 lbs. Each.....	\$203.00
No. 224	Range with Low Shelf only	\$180.00
	High Shelf extra.....	13.00
	Polishing Top, extra	10.00
	Pipe Coil or Iron Water Back, extra	8.00

"Lang" Souvenir Patent Hot-Blast 1-Oven Range

This solid-top, smoke-burning range is exactly the same in every detail of construction as the 2-oven and 3-oven ranges previously described. It is the ideal range for small restaurants, mining camps and boarding houses. Burns either coal or wood.


It is 33 inches high, and the polished top, including the back shelf, is 40 inches deep. Trimmings are aluminum finished. Made with firebox at either right or left of range, as desired.

In ordering specify on which end of the Range the fire box is wanted, otherwise all Ranges will be shipped with left hand fire.

NOTE.—Smoke pipe for the range must be 8 inches in diameter and must be connected to a flue of equal capacity.

Prices F. O. B. Hamilton, Canada.

No. 124	Complete as shown, with smooth polished top. Oven 24 inches wide, 24 inches deep and 14 inches high. Top surface, including shelf, 40 inches deep and 54 inches long. Shipping weight about 900 lbs	\$123.00
No. 124	Range with low shelf only....	\$110.00
	High Shelf Extra	8.00
	Polishing Top	5.00
	Pipe Coil or Iron Water Back..	8.00



Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

4
QUOTATIONS CONTINUED

Date

Reg. No.

Item	Quantity	DESCRIPTION	Unit Price	Extension
		<p>OVEN DOORS: The doors shall be of heavy steel with wrought iron frame with corners extra reinforced. The oven doors shall hinge down and shall be supported by two wrought iron supports rigidly riveted to frame and body.</p> <p>JOINTS: All joints shall be filled with asbestos wool in order to make range air-tight and provide perfect control through the drafts.</p> <p>DRAFT CURTAINS: Drafts shall be regulated from front of range; the lever handle shall reach front to back, also be provided with direct drafts and slide drafts in ash-pit door.</p> <p>GRATES: There shall be three grates, triple-sided, operated by one shaker. They should be of cast-iron of the best material. Grates shall be so constructed that they be easily removed.</p> <p>CLEAN-OUTS: Proper clean-outs for flues shall be provided.</p> <p>ASH PAN: Ash pan shall be large in size and of the best material.</p> <p>HIGH CLOSED: The range shall be provided with a high closed full length of range.</p> <p>For further details, firms quoting are referred to the "Galley Range" as manufactured by McNary Mfg. Co. and illustrated on page 13-14 of their catalogue.</p> <p>NOTE: If the range figured on is different from the above specifications, firms quoting should attach to their tender, a specification of their range, together with cuts.</p>		

H. GUYER ORR,
 Architect for the Department
 of Indian Affairs.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

**PUBLIC ARCHIVES
 ARCHIVES PUBLIQUES
 CANADA**

DEPARTMENT OF INDIAN AFFAIRS

OFFICE OF THE PURCHASING AGENT

Ottawa,

Req. No.


Munsey, Ontario.

Please quote your lowest price, ON THIS SHEET, for the following material f.o.b.

freight charges prepaid. Price must be shown NET, giving effect to all your trade discounts. No charge will be allowed for containers, packing, packing cases, crates or cartage. The right is reserved to accept or reject quotations on each item separately or as a whole. This sheet must be signed by you. Please return this sheet IN THE ACCOMPANYING ENVELOPE whether you quote or not.

Quotations will be received until noon

January 13, 1923.



Purchasing Agent.

To the Purchasing Agent, Dept. of Indian Affairs

We quote you the following prices on material listed below, freight charges prepaid to destination named. If favoured with your order we will ship within days after receipt of your order.

(a) _____ Sign } (c)
Date (b) _____ here }

QUOTATIONS ONLY. THIS IS NOT AN ORDER

ITEM	QUANTITY	DESCRIPTION	UNIT PRICE	EXTENSION
		<p>Fill in number of days in space (a) and date in space (b) Sign your name in space (c)</p> <p>KITCHEN RANGE REQUIRED FOR MOUNT HEIGH INSTITUTE AT MUNSEY-ONT.</p> <p>1 DOUBLE OVEN RANGE in accordance with the following specifications:-</p> <p>Size of each oven: 27 x 26 x 16. " " cooking surface : 37 x 36. " " each firebox : 17 x 11.</p> <p>BODY: The body shall be of heavy high grade sheet steel rivetted together and strongly reinforced where necessary, braced and strengthened at edges with band iron.</p> <p>TOP: The cooking top shall be of heavy cast iron specially durable, heat resisting and long wearing. Shall be firmly held to body with bolts, and polished to a smooth finish. There shall be two reducing covers, one over each fire-box; the remainder of the top shall consist of two large blank plates.</p> <p>OVENS: The ovens shall be of the size indicated above, and equipped with rack. The sides shall be nickel plated and the back aluminized to prevent rust. The bottom shall be provided with two heavy cast iron stiffeners reaching from end to end, to prevent from buckling or bending. The top of oven shall be covered with heavy asbestos board to protect the steel wall.</p> <p>FIRE BOXES: The fire boxes shall be built to conform strictly to the requirements of oven and cooking surface, lined with pure fire-brick, 6" thick at back, 4 inches at sides and two inches at front.</p>		
		<p>RECEIVED</p> <p>Ans. _____</p> <p>DEC 24 1923</p> <p>Return to _____</p> <p>File _____</p>		

SEE LETTER AND FOLDER ATTACHED.
H. S. & H. CO.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

THE HAMILTON STOVE & HEATER CO., LIMITED
 —SUCCESSORS TO—
GURNEY, TILDEN & COMPANY, LIMITED

75 YEARS SUCCESSFUL MANUFACTURING

MANUFACTURERS OF

STOVES, RANGES, BOILERS, RADIATORS, FURNACES,
 REGISTERS, LOCKS, AND HARDWARE



CABLE ADDRESS
 "HASTCO"

WESTERN UNION TELEGRAPH CODE
 AND A. S. C. CODE FIFTH EDITION

HEAD OFFICE & WORKS
 HAMILTON, ONTARIO

ESTABLISHED 1843

WAREHOUSES AT
 WINNIPEG, VANCOUVER,

HAMILTON, December 24th,
 CANADA 1923.

SOUVENIR

Ranges
 Cooking Stoves
 Warming Closets
 Heaters
 Caboose or Van Stoves
 Base Burners
 Box Stoves
 Laundry Stoves.
 Cottage Furnaces
 Gas Ranges.
 Gas Hot Plates
 Gas Garbage Heaters.
 Gas Garbage Incinerators
 Jacket Water Heaters
 Radiators
 Lang Hotel Ranges

NEW IDEA

Pipe and Pipeless
 Warm Air Furnaces
 Hot Water & Steam Boilers
 Round & Sectional Square

IDEAL

Smokeless Boilers

GURNEY HAMILTON

Locks and Keys
 Panic Exit Locks.
 Simplex Transom Lifters
 Sash Lifts and Fast
 Escutcheons
 Push Plates
 Letter Box Plates
 Bell Sets
 Knobs
 Store Door Sets
 Front Door Sets
 Inside Door Sets
 Sliding Door Sets
 Foot and Chain Bolts
 Extension Flush Bolts
 Cupboard Catches
 Transom Catches
 Drawer Pulls
 Casement Holders
 Hat and Coat Hooks
 Shelf Brackets
 Transom Chains
 Sash Pulleys
 Hinges and Butts
 Kick Plates
 All Standard Finishes
 or to sample

Dept. of Indian Affairs,
 Office of Purchasing Agent,
 Ottawa, Ont.

Gentlemen:

In reply to your inquiry for prices on
 kitchen range which could be recommended &
 for Mount Elgin Institute at Munsey, we beg
 to submit prices below on our Lang Range.

This range is made with one, two, and
 three ovens, but as your quotation asks for
 two only, we are quoting as follows on same:

1 #224 Two Oven range with full polished top and low flush heel,	\$284.15
Extras	
High Shelf	21.85
Cast Water Front	12.60
High Closet	32.50
Lang Souvenir Combination gas equip- ment	100.00

Discount 40%, F.O.B. Hamilton.
 Sales Tax Extra

We are attaching herewith a pamphlet
 which illustrates the three different sizes
 and would ask you to disregard prices mention-
 ed on same.

We trust our quotation will receive
 favorable consideration and will be pleased
 to give any further information requested.

Yours very truly,

HAMILTON STOVE & HEATER CO., LTD.,

[Signature]
 Sec'y-Treas.

HAS:HG

Prices and Quotations subject to change without notice. All Orders and Agreements are contingent upon Failures, Strikes, Accidents, Delays of Carriers, Changes in Custom Tariff, or other causes beyond our control. Where we contract for or quote a special freight rate or a delivered price, we reserve the right to route through to destination.


Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
 ARCHIVES PUBLIQUES
 CANADA

Geo. R. Prowse Steel Plate Ranges

PATENTED TERRA-COTTA LININGS AND BRICK TOP OVENS.

MONTREAL.



8 FOOT HOTEL RANGE.

THIS RANGE has all the Modern Improvements and is the most substantial Hotel Range in the market. The two fire chambers are fitted with our radial shaking and dumping grates, which have given every satisfaction since their introduction. The tops of the ovens are covered with brick and the flues are lined with our Patented Terra Cotta bricks, which renders the ovens of an even temperature throughout, and the Range most economical in the consumption of fuel. This is a very durable Range and will cook for 150 to 200 persons.

THE MEASUREMENTS ARE :

Ovens, $23\frac{1}{2}$ " x 16" x $26\frac{1}{2}$ " Top Surface, 8 ft. x $28\frac{1}{2}$ "

7 FOOT HOTEL RANGE.

The same as the above, the Measurement being :

Ovens, 20" x 16" x ~~26~~" Top Surface, 7 ft. x ~~28~~"

This Range will cook for ²⁷125 to 175 persons. 36"

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

One (1) Standard Seven Foot Range, EXTRA HEAVY type, having two fires and two ovens, each ovens measuring 20 x 16x27", - the fireboxes to be lined on all sides with heavy firebrick in sections and equipped with our heavy improved type of Revolving, Dumping and Shaking Grate. The body of the range to be made of heavy gauge cold rolled annealed sheet steel, well bound and braced, and strengthened around the bottom with a continuous band of iron. The top of the ovens to be of brick and the bottom plate to be a separate piece of cast iron, true and level, but easily removable should the same be desirable; oven to be guaranteed dust and gas tight. The flues where they pass over the ovens to have heavy tile shields at both sides to prevent radiation and protect steel parts. To be provided with necessary dampers and drafts for properly regulating the fires and ovens. The top rim of the range to be in sections and bolted to flange of range body - to be of the French Pattern with one large hole and reducing ring over each firebox and a large solid section over each oven. These plates will be made of the very best Grey Iron, EXTRA HEAVY, and will be supported in the middle by bridges attached to the top of the ovens. Protecting bar of polished steel will be attached to the front of the range with suitable brackets and will extend the full length of the range. The oven doors to be of the drop pattern attached to the range by means of heavy malleable iron brackets - the oven doors being bound with heavy band iron (not cast iron), and guaranteed to sustain any weight which it may be found necessary to place upon same. The hole range presenting a well finished and workmanlike appearance. All fittings being fastened to the range by means of locknuts. All trimmings being nickel plated. Ten feet of stove pipe and two elbows will be included with the range.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

7
QUOTATIONS CONTINUED

Date

Reg. No.

Item	Quantity	DESCRIPTION	Unit Price	Extension
		<p>OVEN DOORS: The doors shall be of heavy steel with wrought iron frame with corners extra reinforced. The oven doors shall hinge down and shall be supported by two wrought iron supports rigidly rivetted to frame and body.</p> <p>JOINTS: All joints shall be filled with asbestos wool in order to make range air-tight and provide perfect control through the drafts.</p> <p>DRAFT CONTROL: Drafts shall be regulated from front of range; the lever handle shall reach front to back, also be provided with direct drafts and slide drafts in ash-pit door.</p> <p>GRATES: There shall be three grates, triple-sided, operated by one shaker. They should be of cast-iron of the best material. Grates shall be so constructed that they be easily removed.</p> <p>CLEAN-OUTS: Proper clean-outs for flues shall be provided.</p> <p>ASH PAN: Ash pan shall be large in size and of the best material.</p> <p>HIGH CLOSURE: The range shall be provided with a high closet full length of range.</p> <p>For further details, firms quoting are referred to the "Galley Range" as manufactured by McClary Mfg. Co. and illustrated on page KE-14 of their catalogue.</p> <p>NOTE: If the range figured on is different from the above specifications, firms quoting should attach to their tender, a specification of their range, together with cuts.</p>		
<p>R. GURNEY OBR. Architect for the Department of Indian Affairs.</p>				

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

**PUBLIC ARCHIVES
 ARCHIVES PUBLIQUES
 CANADA**

DEPARTMENT OF INDIAN AFFAIRS
OFFICE OF THE PURCHASING AGENT

Ottawa,

Req. No.


Muncy, Ontario.

Please quote your lowest price, ON THIS SHEET, for the following material f.o.b.

freight charges prepaid. Price must be shown NET, giving effect to all your trade discounts. No charge will be allowed for containers, packing, packing cases, crates or cartage. The right is reserved to accept or reject quotations on each item separately or as a whole. This sheet must be signed by you. Please return this sheet IN THE ACCOMPANYING ENVELOPE whether you quote or not.

Quotations will be received until noon

January 12, 1924.



Purchasing Agent.

To the Purchasing Agent, Dept. of Indian Affairs

We quote you the following prices on material listed below, freight charges prepaid to destination named. If favoured with your order we will ship within (a) **seven** days after receipt of your order.

Date (b) **Jan'y 8th, 1924**

Sign here

(c) **GEO. R. PROWSE RANGE CO. LIMITED.**

QUOTATIONS ONLY. THIS IS NOT AN ORDER

ITEM	QUANTITY	DESCRIPTION	UNIT PRICE	EXTENSION
		<p>Fill in number of days in space (a) and date in space (b) Sign your name in space (c)</p> <p>KITCHEN RANGE REQUIRED FOR MOUNT BLAIR INSTITUTE AT MUNCY-ONT.</p>		
	1	<p>DOUBLE OVEN RANGE in accordance with the following specifications:-</p> <p>Size of each oven: 27 x 20 x 16. " " cooking surface : 37 x 36. " " each firebox : 17 x 11.</p> <p>BODY: The body shall be of heavy high grade sheet steel rivetted together and strongly reinforced where necessary, braced and strengthened at edges with band iron.</p> <p>TOP: The cooking top shall be of heavy cast iron specially durable, heat resisting and long wearing. Shall be firmly held to body with bolts, and polished to a smooth finish. There shall be two reducing covers, one over each fire-box; the remainder of the top shall consist of two large blank plates.</p> <p>OVENS: The ovens shall be of the size indicated above, and equipped with rack. The sides shall be nickel plated and the back aluminized to prevent rust. The bottom shall be provided with two heavy cast iron stiffeners reaching from end to end, to prevent from buckling or bending. The top of oven shall be covered with heavy asbestos board to protect the steel wall.</p> <p>FIRE BOXES: The fire boxes shall be built to conform strictly to the requirements of oven and cooking surface, lined with pure fire-brick, 6" thick at back, 4 inches at sides and two inches at front.</p>		\$ 440.00

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA



BELL TELEPHONES UP 6054-6055

575-579 University St.

Montreal, Jan'y 8th, 1924.

F. H. Paget, Esq.
Purchasing Agent,
Department of Indian Affairs,
Ottawa Ont.

Dear Sir,-

We enclose herewith quotation on Seven Foot Range required for Muncey, Ontario,- we have quoted on our standard Hotel Range (which is a much heavier constructed range than that called for in your specification) and we are giving you a specially attractive quotation for a range of this type. As you know the Prowse Range has no equal on the Canadian Market, and we hope that you will see your way clear to favor us with this order.

Awaiting your further favors.

Yours very truly,

GEO. R. PROWSE RANGE CO. LIMITED.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

8
QUOTATIONS CONTINUED

Date

Reg. No.

Item	Quantity	DESCRIPTION	Unit Price	Extension
		<p>OVEN DOORS: The doors shall be of heavy steel with wrought iron frame with corners extra reinforced. The oven doors shall hinge down and shall be supported by two wrought iron supports rigidly rivetted to frame and body.</p> <p>JOINTS: All joints shall be filled with asbestos wool in order to make range air-tight and provide perfect control through the drafts.</p> <p>DRAFT CONTROL: Drafts shall be regulated from front of range; the lever handle shall reach front to back, also be provided with direct drafts and slide drafts in ash-pit door.</p> <p>GRATES: There shall be three grates, triple-sided, operated by one shaker. They should be of cast-iron of the best material. Grates shall be so constructed that they be easily removed.</p> <p>CLEAN-OUTS: Proper clean-outs for flues shall be provided.</p> <p>ASH PAN: Ash pan shall be large in size and of the best material.</p> <p>HIGH CLOSET: The range shall be provided with a high closet full length of range.</p> <p>For further details, firms quoting are referred to the "Galley Range" as manufactured by McClary Mfg. Co. and illustrated on page K2-14 of their catalogue.</p> <p>NOTE: If the range figured on is different from the above specifications, firms quoting should attach to their tender, a specification of their range, together with cuts.</p>		

R. GURNEY CRR.
 Architect for the Department
 of Indian Affairs.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
 CANADA

DEPARTMENT OF INDIAN AFFAIRS

OFFICE OF THE PURCHASING AGENT

Ottawa,

Req. No.

Muncy, Ontario.

Please quote your lowest price, ON THIS SHEET, for the following material f.o.b.

freight charges prepaid. Price must be shown NET, giving effect to all your trade discounts. No charge will be allowed for containers, packing, packing cases, crates or cartage. The right is reserved to accept or reject quotations on each item separately or as a whole. This sheet must be signed by you. Please return this sheet IN THE ACCOMPANYING ENVELOPE whether you quote or not.

Quotations will be received until noon **January 12, 1968.**

[Signature]
Purchasing Agent.

To the Purchasing Agent, Dept. of Indian Affairs

We quote you the following prices on material listed below, freight charges prepaid to destination named. If favoured with your order we will ship within (a) days after receipt of your order.

Date (b) Sign here (c)

QUOTATIONS ONLY. THIS IS NOT AN ORDER

ITEM	QUANTITY	DESCRIPTION	UNIT PRICE	EXTENSION
		Fill in number of days in space (a) and date in space (b) Sign your name in space (c)		
		KITCHEN RANGE REQUIRED FOR MOUNT MUNCEY INSTITUTE AT MUNCY-ONT.		
	1	DOUBLE OVEN RANGE in accordance with the following specifications:-		
		size of each oven: 27 x 20 x 16. " " cooking surface: 37 x 36. " " each firebox: 17 x 11.		<i>Sparrow. Co. 2080 equal</i>
BODY:		The body shall be of heavy high grade sheet steel rivetted together and strongly reinforced where necessary, braced and strengthened at edges with band iron.		
TOP:		The cooking top shall be of heavy cast iron specially durable, heat resisting and long wearing. Shall be firmly held to body with bolts, and polished to a smooth finish. There shall be two reducing covers, one over each fire-box; the remainder of the top shall consist of two large blank plates.		
OVENS:		The ovens shall be of the size indicated above, and equipped with rack. The sides shall be nickel plated and the back aluminized to prevent rust. The bottom shall be provided with two heavy cast iron stiffeners reaching from end to end, to prevent from buckling or bending. The top of oven shall be covered with heavy asbestos board to protect the steel wall.		
FIRE BOXES:		The fire boxes shall be built to conform strictly to the requirements of oven and cooking surface, lined with pure fire-brick, 6" thick at back, 4 inches at sides and two inches at front.		

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

"STANDARD" HOTEL AND RESTAURANT COAL RANGES

SHIP RANGE




Fig. 1.

Complete with Guard Rail and Water Boiler.

	Top	Ovens	Size of Ovens
No. 70.	42-in. x 84-in.	2	17-in. x 28-in x 16-in.
No. 80.	42-in. x 96-in.	2	22-in. x 28-in. x 16-in.
Special Sizes Made To Order.			

HOTEL RANGE—For Hard Coal




Fig. 2.

Equipped with 1 Fire and 2 Ovens.

	Top Surface	Ovens	Size of Ovens
No. 4½.	32-in. x 54-in.	2	15-in. x 22-in. x 14-in.
No. 5.	42-in. x 60-in.	2	17-in. x 28-in. x 16-in.
No. 6.	42-in. x 72-in.	2	22-in. x 28-in x 16-in.

These illustrations show our Standard French Ranges fitted with Firebox to Burn Hard Coal. These Ranges are heavily constructed to stand the hard usage in the large kitchens of Hotels, Clubs, Restaurants, Steamboats, Camps, and Institutions where the quantity of work to be done is heavy, they have gained for us the reputation of being the best Range of their kind, Manufactured in Canada, and have many distinctive features which are found on no other make of French Ranges. Built for up or down draught. The bodies are built of the best quality heavy Sheet Steel, with Top Frame and Panels of the best quality Heavy Grey Cast Iron. The sides of ovens next to the firebox are heavy cast iron, which do not burn through as found with the steel side ovens. The Sliding Dampers which operate from the front below the ovens allow you to regulate the heat in the ovens just as required. The Fireboxes may be fitted with our flat sliding, or oscillating grates both for hard coal as shown on page 9. All fire-boxes and flues are lined with the best quality Fireclay Bricks. Ranges are supplied with double High Shelf or High Closet as desired.

Waterfronts are fitted, not on the side of the oven, but across the back end of the fire-box, which is a decided improvement, as the side waterfront invariably spoils the adjoining oven for baking purposes.

Illustration of our Standard Waterfront is shown on page 9 and has heating capacity for a fifty gallon Boiler. All Ranges larger than No. 20 are composed of separate sections of 4 feet each, having 1 fire and 1 oven 22x28x16 inches. Trimmings are finished Bright Steel or Nickel Plates as desired. All our Ranges can be fitted to burn hard or soft coal, or wood.

HOTEL RANGE—For Hard Coal

Equipped with 2 Fires and 2 Ovens.

	Top Surface	Ovens	Size of Ovens
No. 7.	42-in. x 84-in.	2	17-in. x 28-in. x 16-in.
No. 8	42-in. x 96-in.	2	22-in. x 28-in. x 16-in.



Fig. 3

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)



GEO. SPARROW & CO.

MAKERS OF
STEAM COOKING PLANT
FOR ASYLUMS AND PRISONS.

STEEL RANGES AND COOKING APPARATUS

RANGES, BROILERS, CARVING TABLES,
COFFEE URNS, BAKERS' & CONFECTIONERS' GOODS,

MACHINISTS, COPPERSMITHS,
TINSMITHS,
SHEET IRON WORKERS.

A complete line of Kitchen Supplies for Hotels, Steamboats, Restaurants, Institutions
and Private Families.
Re-tinning of Copper and Tin Utensils. Castings and Fire Brick Linings for all Hotel Ranges.
Special Sheet Metal Work of all kinds. Metal Clothes Drying Apparatus.

Office and factory
119 Church Street,

Toronto, Canada.

Jan. 2, 1924.

The Dept. of Indian Affairs,
Purchasing Agent,
Ottawa, Ont.

Gentlemen:

Re your requisition for one only Coal
Range for Muncey, Ontario, we beg to quote
you on our Standard Range, complete with High
Closet as follows:

#7, 2 Fire, 2 Oven Range.....	\$225.00
#8, 2 " , 2 " "	265.00

F. O. B. Muncey, Ont.

The Illustration and Specification, attached
to tender.

Yours truly,

GEO. SPARROW & CO.

W. Wilson

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

INDIAN AFFAIRS
OF TENDERS

Tenders Opened January 14th.

Geo. Sparrow Co., Toronto, Ont. \$225.00	Gurney Foundry Co. Toronto, Ont \$189.00	Happy Thought Found- ry Co., Brantford, Ont. \$259.60
--	---	---

MEMO:

The above is an analysis of the tenders received for the kitchen range for the Mount Elgin Institute, Muncey, Ont, and I beg to recommend that the tender of Gurney Foundry Co. Ltd., of Toronto, be accepted, this firm having quoted the lowest price.

[Signature]
ARCHITECT.

Approved
[Signature]
Acct. P.A.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

7-0-5

790-12

[Handwritten signatures and initials]

DEPT. OF INDIAN AFFAIRS
JAN 17 1924
RECORDS

Ottawa, Jan. 15, 1924.

Sir:-

I beg to advise you that your tender of \$189.00 fob Muncey, is accepted for one of your John Bull double oven army ranges, in accordance with the details furnished by your letter of the 27th ultimo. This includes a range equipped with a warming closet. The range should be shipped to:

Rev. S. R. McVitty,
Principal Mount Elgin Institute,
Muncey, Ont.

The accounts should be sent to Mr. McVitty in order that he may certify to having received the range, and you should also advise him of the date upon which shipment will be made.

[Handwritten signature]

Your obedient servant,

[Handwritten signature]
P.H. Paget,
Accountant & Purchasing Agent.

Gurney Foundry Co. Ltd.,
Toronto, Ont.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

7-0-12

JAS. OLIVER,
President.

W. A. OLIVER,
Manager and Sec'y.-Treas.

H. J. OLIVER,
Superintendent.

J. Oliver & Sons, Limited

WHOLESALE

Furniture Manufacturers

ESTABLISHED 1862
INCORPORATED 1899

OFFICE AND WORKS: OLIVER ST.



OTTAWA, CAN. Jan. 18th 1924

File

Dept. Indian Affairs,
Ottawa,
Canada.

R

Gentleman:-

We thank you for your favor of the 17th, and have entered your order for 8 No. 3 single desks, set up, at \$6.50 each freight paid to Munsey Station, Ont. We will ship these out by the 23rd inst. and trust that same will reach destination promptly. Again thanking you, we remain.

Yours truly,

J. Oliver & Sons Limited.

WAO:BR

W. A. Oliver

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
CANADA

DATE OF CUSTOMER'S ORDER
 10-10-24

DATE RECEIVED
 10-10-24

WHEN TO SHIP
 at once

TERMS
 CASH

ACKNOWLEDGEMENT OF ORDER
 7-0-12

THE GURNEY FOUNDRY CO., LIMITED
 TORONTO

Ship to
 Rev. C. A. McVitty,

Address
 Principal, West Bible Institute,
 Indioy, Ontario.

Account of
 Dept. of Indian Affairs, Ottawa.

OUR ORDER NO.
 100-12

CUSTOMER'S ORDER NO.
 488

RECORDED
 JAN 11 1924
 DEPT. OF INDIAN AFFAIRS

PREPAID

QUANTITY ORDERED	DESCRIPTION	PRICE	TOTAL
1	1927 double oven army range John Bull	16 10	
1	1 warming closet, fitted.	2 20	
			18 30

Over

1927 double oven army range John Bull

1 warming closet, fitted.

ACCOUNTS should be sent to Mr. McVitty,
 so that he may certify to having received
 the range.

This is a copy of your Order.

If this Order does not check exactly with your requirements please notify us at once.

In corresponding with us please refer to OUR Order Number.

All Orders are accepted subject to Strikes, Fires, Accidents and other causes beyond our control.

Goods are shipped at buyer's risk so do not sign for goods short or damaged.

Thanking you for this business, we remain,
 Yours very truly,

THE GURNEY FOUNDRY CO. LIMITED.

Indian Affairs. (RG 10, Volume 6206, file 468-5, part 5)

PUBLIC ARCHIVES
ARCHIVES PUBLIQUES
 CANADA