

133-0-5

INSPECTOR OF INDIAN AGENCIES



CANADA
DEPARTMENT
OF
MINES AND RESOURCES

INDIAN AFFAIRS BRANCH

207-12A

Redwood

538 Dominion Public Bldg.,
Winnipeg, Manitoba,
September 21, 1944



Indian Affairs Branch, OTTAWA, Canada

Your file 133-0-5 dated Sept. 14/44

I have not been able to obtain the
supplies listed on the attached memorandum. They
are not available at the wholesales or at Eaton's.

*No list
attached*

A. G. Hamilton

A. G. Hamilton
Inspector of Indian Agencies
for Manitoba

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

*VERY
POOR
COPY*

133-0-5



CANADA
DEPARTMENT
OF
MINES AND RESOURCES

INDIAN AFFAIRS BRANCH

INSPECTOR OF INDIAN AGENCIES

[Handwritten signature]

538 Dominion Public Bldg.,
Winnipeg, Manitoba,
September 22, 1944

Indian Affairs Branch, OTTAWA, Canada



RE: Brandon School

I spent yesterday with Mr. Strapp at the Brandon School. Already he has made several improvements; but there is much to do yet.

I would recommend that the following expenditures be given consideration:

1. The Principal's Residence needs interior decorations. Already Mr. Strapp has had the plaster repaired in the various rooms and the walls are really for papering. It will cost from \$250 to \$300 to do the necessary work (papering and painting), and even then part of the house will be closed off and not used. Authority for this expenditure should be granted at once.

300

2. The shingles for the one barn have never been put on. Labour will be required and the cost may reach \$150. At present the barn is practically useless and the rain is rotting the floors, etc. If labor is obtainable the work should be done now.

150

3. New eavetroughing is required. The water runs down along the foundation and if allowed to continue will ruin the foundation.

*Caution
Delete from
envelope
How much?
Asst*

4. The upright boiler Mr. Strapp claims has not sufficient steam capacity, and as the result it takes four days to wash what should be done in a day. Mr. Strapp thinks a second upright boiler should be supplied. However, this is a matter which might be carried over until after the war.

Already, authority has been granted for the following:

(Cont'd)

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

(2)

1. \$150 for glass, paint, plumbing, repairs and lumber. This total will be accounted for by Mr. Strapp.

2. Repairs to laundry walls and ventilators: may involve from \$75 to \$100.

3. Purchase of electric fan for laundry; this to draw the moisture out.

4. Repairs to Syptic tank at cottage; approximately \$200.

5. Repair to Syptic tank manholes at School-- this requires considerable excavation and cement work and may cost \$75 or \$100.

Mr. Strapp is apparently a hard worker. I believe if he remains he will in due course bring the school back to its old high standing. We must, however, spend some money on repair work. It cannot all be done this fall, but we have listed the more essential things and I hope Mr. Strapp will be encouraged by receiving instructions to proceed with the repairs listed.

A. G. Hamilton

A. G. Hamilton
Inspector of Indian Agencies
for Manitoba

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

Ottawa,
September 26, 1944.

Mr. A.G. Hamilton, Inspector of Indian Agencies,
Winnipeg, Man.

I have your letter of the 22nd instant, with reference to your recent inspection of the Brandon Residential School. The Department approves an expenditure not exceeding \$300 for papering the Principal's residence. It is regretted that you did not give us information regarding the paper so that an order could be placed through the Purchasing Branch. You are aware of the purchasing regulations and when material is required full particulars regarding it should be forwarded so that our procedure may be followed. However, under the circumstances it has been decided to allow local purchase in order that the work may be done at the earliest possible date.

An expenditure of \$150 for labour to shingle the barn is also authorized. Every endeavour should be made to have this work done immediately.

I note your statement regarding the eavetroughing. The Department is prepared to supply this if it can be secured. Please let me know if you can purchase the eavetroughing locally and, if so, give the name and address of the firm and the expenditure required.

It is noted that you consider the request for a second boiler can be deferred.

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

The expenditures already authorized which you list in your letters are those referred to in my letter of September 20. I trust that you can arrange to have these repairs receive early attention.

R.A. Hoey,
Supt. of Welfare & Training.

Hoey

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

PLEASE REPLY TO
PURCHASING DIVISION



CANADA
DEPARTMENT
OF
MINES AND RESOURCES
GENERAL ADMINISTRATIVE OFFICES

OCT 8 1944

REGISTERED



PLEASE QUOTE
FILE 53,882-
15-20-1

209-11 AU

OTTAWA September 9, 1944.

Memorandum

Dr. H.W. McGill

With further reference to my memorandum of the 7th ultimo, and reply of August 19th, re proposed purchase of an electric ironer for the Brandon Indian Residential School, I have been instructed to ascertain if the services of a competent fireman have been obtained. Otherwise there would be a certain hazard involved in utilizing a low pressure boiler to secure a steam pressure of 75 lbs., which is the minimum requirement to operate electric ironers of the class and kind under consideration.

one lb.

H. J. DAVIDSON
Departmental Purchasing Agent.

WMV/HC

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES
CANADA
ARCHIVES PUBLIQUES

VERY
POOR
COPY

INSPECTOR OF INDIAN AGENCIES



CANADA

DEPARTMENT OF MINES AND RESOURCES

INDIAN AFFAIRS BRANCH

209-11 A U

538 Dominion Public Bldg,
Winnipeg, Manitoba,
September 21, 1944



Indian Affairs Branch, Department of Mines and Resources,
OTTAWA

RE: Steam Ironer for Brandon School

Your Memorandum

Re: File 53,662-

15-20-1 Dated Sept. 9/44

Mr. Strapp, Principal of Brandon School, to date has not been successful in securing a qualified engineer. He himself holds papers for Ontario and has arranged to write the Manitoba examination. He states he will then carry the responsibility until a engineer with papers can be obtained.

The Firm of Stanley Brock & Co., state that a steam ironer cannot be operated successfully on less than 100 lbs. pressure.

I understand Mr. Strapp wishes a steam flat-work ironer with rollers measuring 100" in length. He does not want an electric ironer because they are difficult to keep in repair and too expensive to operate.

Memorandum being returned.

A. G. Hamilton
Inspector of Indian Agencies
for Manitoba

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

Ottawa,
October 2, 1944.

Memorandum:

DEPARTMENTAL PURCHASING AGENT

With reference to your memorandum of the 9th ultimo, the following reply has been received from Inspector Hamilton:

"Re: Steam Ironer for Brandon School

"Mr. Strapp, Principal of Brandon School, to date has not been successful in securing a qualified engineer. He himself holds papers for Ontario and has arranged to write the Manitoba examination. He states he will then carry the responsibility until an engineer with papers can be obtained.

"The Firm of Stanley Brock & Co. state that a steam ironer cannot be operated successfully on less than 100 lbs. pressure.

"I understand Mr. Strapp wishes a steam flat-work ironer with rollers measuring 100" in length. He does not want an electric ironer because they are difficult to keep in repair and too expensive to operate."

As it is doubtful if there is sufficient steam pressure to operate an ironer and as the Principal does not wish an electric ironer, I believe no further action should be taken in this matter at the present time.

R.A. Hoey,
Supt. of Welfare & Training.

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

Brandon, Man., Oct 6 1944

M. Indian Residential School

In Account With

F. W. HURST

CONTRACTOR

STUCCO WORK

— PLASTERING —

CEMENT WORK

Phone 4446

727 Fourteenth St.

Aug 16	Repairing plaster Principals resd.	28.20
--------	---------------------------------------	-------

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

✓ E
P 00
60

DEPARTMENT OF MINES AND RESOURCES

INDIAN AFFAIRS BRANCH

TREASURY ONLY

CHEQUE No.....
DATE.....

Pay to..... F.W. Hurst.
Address..... 727 Fourteenth St.
Brandon. Manitoba.

DATE	SERVICE	AMOUNT
	EX'D A	
<u>October 7.</u>	<u>To services rendered as per invoice attached</u>	<u>\$28---20</u>
	<u>Authority 133-0-5 September 26. 1944.</u>	
	<u>To Mr. Hamilton. Winnipeg.</u>	
	TRIPPLICATE FOR FILE Voucher in duplicate attached for amount to pay.	
		<u>---\$28---20---</u>

I HEREBY CERTIFY that this Voucher is correct, that the material has been supplied, the work performed and that the charges are fair and just, also that the expenditure has been incurred legitimately and that each item of the same is a fair and just charge against the Government of Canada. This expenditure was authorized by Departmental

Letter, File No. 133-0-5 dated Sept. 26. /44 BRANDON INDIAN RESIDENTIAL SCHOOL

FORM No. I.A. 506

Req. 1265

Oliver Bluff
Principal Agent
DATE October 7 /44

VOUCHER No. 14

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

BRANDON, MAN.,

Oct

1944

--MR. Indian Residential School

Brandon.

Oil Burners
Water Softeners, Filters
Pipe Cutting, Boilers.

IN ACCOUNT WITH **YATES & CO.**
PLUMBERS and HEATING ENGINEERS
HIGH GRADE PLUMBING, HOT WATER, ATMOSPHERIC VAPOR
AND STEAM HEATING

Bath Room Accessories
Septic Tank, Hydraulic
Rams, Stokers.

SUN PRINT, BRANDON, MAN.

DATE	PARTICULARS	FOLIO	TIME AND MATERIAL	CR.	TOTAL
June 19	1. Flush Ball		50		
	1 Stop		15		
21	1. N.P. Bath Supply		1 75		
	1 Flue Brush		1 25		
	3'-1" P ip e G	20	60		
	2 - 1" Nipps"	15	30		
July 10	Repairs to Potatoe Sprinkler		4 20		
	7 - 3/8 Nip ps Gal	10	70		
	4 - 3/8 T "	15	60		
	1 - 1/2" T		15		
	8 - 3/8 Caps B	5	40		
	4 - 3/8 Coup G	10	40		
	6'- 3/8 Pipe	11	66		
24	1. Lever for Flush Tank		35		
26	To Clearing Range Closets M&H 2 1/2		5 25		
					17 26
Less Repairs to Potatoe Sprayer paid from local funds					4 20
					13 06

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES ARCHIVES PUBLIQUES
CANADA
VERY POOR COPY

BRANDON, MAN.,

Oct

1944.

-MR- Indian Residential School

Brandon,

IN ACCOUNT
- WITH -

YATES & CO.

PLUMBERS and HEATING ENGINEERS

HIGH GRADE PLUMBING, HOT WATER, ATMOSPHERIC VAPOR AND STEAM HEATING

Oil Burners
Water Softeners, Filters
Pipe Cutting, Boilers.

Bath Room Accessories
Septic Tank, Hydraulic
Rams, Stokers.

SUN PRINT, BRANDON, MAN.

DATE	PARTICULARS	FOLIO	TIME AND MATERIAL	CR.	TOTAL
Sep 12	Re P-lugged Septic Tank.				
	2 Men 1hr	2.80	2 30		
13	Clean Syphons & Chamber in Septic Tank, repair Flush Tanks & Syphon Break on Range Closets				
	M&H 9hrs	2.10	18 90		
	Helper 3 1/2"	70	2 45		
	1 1/2" Brass Tube		25		
	2. B.C. Washers	10	20		
	1. Copper Float		50		
	2. Float Rods	35	70		
	1 Lever Wire		20		
	1. Stem		15		
	1. Ballcock Arm		35		
	1. 2x6x10 Flush Ell		1 75		
	1. 2" " " Extension		45		
					28 70

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES
CANADA
ARCHIVES PUBLIQUES

VERY POOR COPY

DEPARTMENT OF MINES AND RESOURCES

INDIAN AFFAIRS BRANCH

TREASURY ONLY

CHEQUE No.

DATE

Pay to..... **F. Collins. Ace Service.**

Address..... **417 Tenth Street.**

Brandon.

Manitoba.

DATE	SERVICE	AMOUNT
October 24, 1944.	To services & supplies as per invoice	\$32---85--
	This was an emergency which caused complete failure of the refrigeration system.	
	The expansion valve which had a bakelite body cracked and the refrigerant escaped.	
	Considerable trouble has been experienced with this unit and the compressor will have to be replaced in the not too distant future.	
	<p>TRIPPLICATE FOR FILE</p> <p>28.10.44</p> <p>Voucher for 28.10.44 attached</p> <p>For [unclear] [unclear]</p>	
		\$32---85--

I HEREBY CERTIFY that this Voucher is correct, that the material has been supplied, the work performed and that the charges are fair and just, also that the expenditure has been incurred legitimately and that each item of the same is a fair and just charge against the Government of Canada. This expenditure was authorized by Departmental

Letter, File No. dated

BRANDON INDIAN RESIDENTIAL SCHOOL

FORM No. I.A. 506

Req. 1265

VOUCHER No. 17

DATE

Oliver A. Strapp
Principal.
October 25th / 44

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY POOR COPY



ACE SERVICE

AUTHORIZED DEALERS

F. COLLINS, PROPRIETOR

417 TENTH ST.



"THERE'S NO SUBSTITUTE FOR EXPERIENCE"

Kelvinator and General Refrigerator Service

Brandon, Man. *September 30* 1944

Sold to *Indian Residential School.*
Brandon, Man.

DATE	PARTICULARS	FOLIO	DEBIT AMOUNT	CREDIT AMOUNT	BALANCE
	TO BALANCE ACCOUNT RENDERED				
<i>Sept 20</i>	<i>Install new expansion Valve</i>		<i>20 35</i>		
	<i> Labor</i>		<i>8 75</i>		
	<i> S.O. 2</i>		<i>3 75</i>		
					<i>32.85</i>
	BRANDON INDIAN RESIDENTIAL SCHOOL				
	<i>Oliver Strapp</i> Principal				

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

*VERY
POOR
COPY*

Copy for 133-0-5

133-0-1

Ottawa,
November 15, 1944.

Mr. A.G. Hamilton, Inspector of Indian Agencies,
Winnipeg, Man.

I am in receipt of your letter of the 8th instant, reporting on your recent inspection of the Brandon Residential School. I note the request contained in the sixth paragraph of your letter to the effect that Mr. Strapp should be impressed with the necessity of doing the work at the earliest possible date. Mr. Hoey is in Toronto this week and I am forwarding a copy of the report to him so that he may take it up with the General Secretary of the Board of Home Missions of the United Church.

 You are correct in considering the small girls' dormitory overcrowded. Our general rule is to have 500 cubic feet of air space per pupil in dormitories, or as close to that figure as possible. On this basis the room mentioned is much too small for 13 children.

Regarding the eavestroughing required for the barn, I would refer you to the third paragraph of official letter to you dated September 26, 1944. We do not appear to have received any reply to the request contained in that letter for you to let us know if you can purchase the eavestroughing locally and, if so, we would like to know the name and address of the firm and the expenditure required.

Philip Phelan,
Chief, Training Division.

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

NR 1399

231 TENTH STREET

NIGHT PHONE 3530

BRANDON, MAN., Oct

19 44

MR. Indian Residential School.

Brandon.

IN ACCOUNT WITH

YATES & CO.

PLUMBERS and HEATING ENGINEERS

HIGH GRADE PLUMBING, HOT WATER, ATMOSPHERIC VAPOR AND STEAM HEATING

Oil Burners
Water Softeners, Filters
Pipe Cutting, Boilers.

Bath Room Accessories
Septic Tank, Hydraulic
Rams, Stokers.

SUN PRINT, BRANDON, MAN.

DATE	PARTICULARS	FOLIO	TIME AND MATERIAL	CR.	TOTAL
July 1	To Clearing Sewer to Septic Tank	2.10	5 25		
3	" " m&H 2 1/2 hrs	"	4 20		
13	" " " 3 "	"	6 30		
14	" " " 2 1/2 "	"	5 25		
					21.00

Certified
BRANDON INDIAN RESIDENTIAL SCHOOL
O. J. Strapp
Principal

6-12-44
Voucher in duplicate attached
for account to pay.

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

BRANDON, MAN., October 1944

MR. Indian Residential School

WADE & SONS LIMITED

BUILDERS' SUPPLIES AND MILLWORK

OFFICE AND YARDS
117 FOURTEENTH ST.

EIGHT PER CENT. CHARGED ON OVERDUE ACCOUNTS

TERMS _____

OUR PRINT, BRANDON, MAN.

DATE	No. Pos.	ARTICLES	FEET	PRICE	DEBIT AMOUNT	CREDIT AMOUNT	TOTAL
Oct 24	1	2x6-7/2 Oak Door Jambs			288		
	1	3x6-7/2 Clear Sill			132		
	1	Lt. Glass 7x8			10		
		30 ft Mldg			30		
		Labour			350		810
27	5	sacks cement			500		
	1	2x10-12	20		108		
	1	2x12-12	24		146		
	1	2x6-10	10				
	1	. - 8	8	18	101		855
							1665

Certified
 BRANDON INDIAN RESIDENTIAL SCHOOL
J. W. Strapp
 Principal

Accounts due when rendered unless otherwise arranged

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

PHONE 2538

BRANDON, MAN.

M. O. B. Strapp, Indian Affairs Branch,
Dept of Mines & Resources

IN ACCOUNT WITH

CRANE BROTHERS

Dealers in

WALL PAPERS, BURLAPS AND ROOM MOULDINGS
PAPER HANGERS, PAINTERS AND KALSOMINERS

TERMS CASH

8 Percent Interest Charged on Overdue Accounts

ESTIMATES FURNISH

DUPLICATE PRINT, BRANDON, MAN.

Date	Description	Folio	Debit Amount	Credit Amount
	painting & decorating Principals Residence		\$ 235.00	
	repairing plaster		5.00	
			<u>240.00</u>	

Certified
 BRANDON INDIAN RESIDENTIAL SCHOOL
O. B. Strapp
 Principal

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

3399

231 TENTH STREET

NIGHT PHONE 3530

BRANDON, MAN.,

Opt

44
19

Indian Residential School

Brandon.

IN ACCOUNT
- WITH -

YATES & CO.

PLUMBERS and HEATING ENGINEERS

HIGH GRADE PLUMBING, HOT WATER, ATMOSPHERIC VAPOR
AND STEAM HEATING

Oil Burners
Water Softeners, Filters
Pipe Cutting, Boilers.

Bath Room Accessories
Septic Tank, Hydraulic
Rams, Stokers.

DUPLICATE FOR FILE

DATE	PARTICULARS	FOLIO	TIME AND MATERIAL	CR.	TOTAL
July 6	To Rewinding 2 H.P. Fairbanks Motor.		60 00		
					60.00

Certified
BRANDON INDIAN RESIDENTIAL SCHOOL
O. Strapp
Principal

TRIPPLICATE FOR FILE
Voucher in duplicate attached
for Accountant to pay.

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES ARCHIVES PUBLIQUES
CANADA
VERY POOR COPY

BRANDON, MAN.,

Oct

1944

Indian Residential School.

Brandon.

IN ACCOUNT WITH

YATES & CO.

PLUMBERS and HEATING ENGINEERS

HIGH GRADE PLUMBING, HOT WATER, ATMOSPHERIC VAPOR AND STEAM HEATING

Oil Burners
Water Softeners, Filters
Pipe Cutting, Boilers.

Bath Room Accessories
Septic Tank, Hydraulic
Rams, Stokers.

SUN PRINT, BRANDON, MAN.

DATE	PARTICULARS	FOLIO	TIME AND MATERIAL	CR.	TOTAL
May 2	To Overhauling & repairing Pumps.				
		M 3 hrs	1.40	4 90	
3	" " " " " "	M 9 "	"	12 60	
4	" " " " " "	M 9 "	"	12 60	
June 3	" " " " " "	M 7 "	"	9 80	
15	" " " " " "	M 8 1/2 "	"	11 90	
16	" " " " " "	M 7 "	"	9 80	
					61 60

Certified
BRANDON INDIAN RESIDENTIAL SCHOOL
B. B. Strapp
Principal

TRIPPLICATE FOR FILE
Voucher in duplicate attached
for Accountant to pay.

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES


ARCHIVES PUBLIQUES

CANADA

VERY POOR COPY

133-0-5
The Indian Residential School

Phone 2838



Brandon, Manitoba

DEPARTMENT OF MINES AND RESOURCES
INDIAN AFFAIRS BRANCH

THE UNITED CHURCH OF CANADA
REV. O. B. STRAPP, PRINCIPAL

The Secretary.
Indian Affairs Branch
Ottawa.
Ont.

December 1st. 1944.

Dear Sir;

Enclosed please find accounts submitted by Yates & Coy.

I regret that there has been such a delay in getting this work done. It has just been impossible to keep the men on the job.

I beg to call your attention to the account for the septic tank at the cottage. I believe Yates at first estimated this work at approximately \$200.00. Upon examination it was found that the old tank could not be repaired and it was necessary to instal a new tank.

They have not yet done the work authorized on the main school tank but have promised to do this as soon as possible.

I remain,

Yours truly,

Olin B. Strapp

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

Ottawa,
December 6, 1944.

Memorandum:

DEPARTMENTAL PURCHASING AGENT

me

I attach account amounting to \$346.89, covering the cost of material and labour required for emergency repairs to the septic tank at the Brandon Residential School. We are advised by Inspector Hamilton that the Brandon School is having trouble with the septic tank. It plugged entirely and the sewage backed up into the cellar. It was necessary to uncover the tank and it was found that one section of it had caved in. The second section was almost ready to cave in. The steel tiles were also entirely plugged. The Provincial Inspector was called in and he recommended a cement bottom, also a new field for the overflow, as well as cement covers for the coverings. It would be appreciated if you would issue purchase order so that the account may be paid. The coding is as follows: 576-76-10-691.

Philip Phelan,
Chief, Training Division.

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

Exclusive Connection with WESTERN UNION TELEGRAPH CO. Cable Service to all the World Money Transferred by Telegraph

CANADIAN NATIONAL TELEGRAPHS



W. M. ARMSTRONG, GENERAL MANAGER, TORONTO, ONT.

CLASS OF SERVICE DESIRED	
FULL-RATE MESSAGE	<input checked="" type="checkbox"/>
DAY LETTER	<input type="checkbox"/>
NIGHT MESSAGE	<input type="checkbox"/>
NIGHT LETTER	<input type="checkbox"/>
PATRONS SHOULD MARK AN X OPPOSITE THE CLASS OF SERVICE DESIRED. OTHERWISE THE MESSAGE WILL BE TRANSMITTED AS A FULL-RATE TELEGRAM	

RECEIVER'S NO.	TIME FILED	CHECK
----------------	------------	-------

Send the following message, subject to the terms on back hereof, which are hereby agreed to
Veuillez expédier la dépêche suivante aux conditions mentionnées au verso auxquelles je consens par les présentes

133-0-5

EXD. DECEMBER 8 1944

REV O B STRAPP
PRINCIPAL
INDIAN RESIDENTIAL SCHOOL
BRANDON MAN

APPROVE RETUBING LAUNDRY STEAM BOILER BRANDON SCHOOL

PHILIP PHELAN

Charge: Indian Affairs Branch,
Dept. Mines & Resources.

EXCLUSIVE CONNECTION WITH WESTERN UNION CABLE SERVICE



CANADIAN NATIONAL TELEGRAPHS

W M ARMSTRONG GENERAL MANAGER TORONTO

BYE 31 39 COLLECT=BRANDON MAN 8 945A
SECRETARY INDIAN AFFAIRS BRANCH=
DEPT OF MINES AND RES OTTAWA ONT=

HIGH PRESSURE UPRIGHT STEAM BOILER FOR LAUNDRY LEAKING BADLY
STOP TUBES WERE REEXPANDED LAST YEAR ARE NOW SO THIN THAT
BEAD CON ENDS WILL NOT HOLD AGAINST PRESSURE STOP PROVINCIAL
BOILER INSPECTOR RECOMMENDS COMPLETE RETUBING STOP WIRE
INSTRUCTIONS=

:STRAPP..

FORM 6122



Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY POOR COPY

231 TENTH STREET

NIGHT PHONE 3530

BRANDON, MAN.,

Oct

194

MR. Indian Residential School

Brandon.

(Cottage)

IN ACCOUNT
- WITH -

YATES & CO.

PLUMBERS and HEATING ENGINEERS

HIGH GRADE PLUMBING, HOT WATER, ATMOSPHERIC VAPOR
AND STEAM HEATING

Oil Burners
Water Softeners, Filters
Pipe Cutting, Boilers.

Bath Room Accessories
Septic Tank, Hydraulic
Rams, Stokers.

SUN PRINT, BRANDON, MAN.

DATE	PARTICULARS	FOLIO	TIME AND MATERIAL	CR.	TOTAL
Oct	Fwd.		339 80		
	Hauling Gravel 6 trips	1.00	6 00		
	7'-1 1/4" Pipe S.H.	12	84		
	1 - 1 1/4" T "		15		
	1 - 1 1/4" St Ell"		10		
					346 89

Certified
 BRANDON INDIAN RESIDENTIAL SCHOOL
A. B. Scrapp.
 Principal

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY

BRANDON, MAN., Oct 194

Indian Residential School

Brandon. (Cottage)

IN ACCOUNT
- WITH -**YATES & CO.**

PLUMBERS and HEATING ENGINEERS

HIGH GRADE PLUMBING, HOT WATER, ATMOSPHERIC VAPOR
AND STEAM HEATINGOil Burners
Water Softeners, Filters
Pipe Cutting, Boilers.Bath Room Accessories
Septic Tank, Hydraulic
Rams, Stokers.

SUB PRINT, BRANDON, MAN.

DATE	PARTICULARS	FOLIO	TIME AND MATERIAL	CR.	TOTAL
May 25	Repairs to Septic Tank M&H 6hr	2.10	12 60		
26	" " " " 8½	"	17 85		
Oct 3	Installing new Septic Tank & Field M 3hrs	1.40	4 20		
	" " " " H 9 "	70	6 30		
4	" " " " H 9 "	"	6 30		
18	" " " M&3H 8 "	3.50	28 00		
19	" " " " 9 "	"	31 50		
20	" " " " 9 "	"	31 50		
"	" " " H 3 "	70	2 10		
21	" " " M&3H 8½"	3.50	29.75		
23	" " " " 4 "	3.50	14 00		
	1. Steel Septic Tank		90 00		
	14 - 4" Tile Ys.	1.25	17 50		
	140' - 4" No-Co-Rode Pipe & Coupling	25	35 00		
	1 - 4" Tile Bend		1.25		
	34' - 4" Tile Pipe	30	10 20		
	1 - Bag Cement		1 10		
	1 - 4" Double Hub		65		
	Fwd		339 80		

Indian Affairs. (RG 10, Volume 6257, file 576-5, part 7)

PUBLIC ARCHIVES

ARCHIVES PUBLIQUES

CANADA

VERY
POOR
COPY